



Aston

Aston

design Jean-Marie Massaud 2006

ASTON (Jean-Marie Massaud) 2006

Lounge chairs: sleek, light, dynamic lines for Aston, a lounge chair that comes in a range of fabric, leather or faux leather coverings to match any decorating style. Designed for contract use, Aston also fits perfectly into the domestic habitat, with its matching Aston Ottoman footrest.

The shell, padded in polyurethane, wraps the body with its enveloping, ergonomic lines. The central swivel structure comes in polished or painted aluminium.

Aston models (in the three versions with low shell – Conference -, medium – Office -, high – Direction -), with their distinctive design and balanced proportions are intended for conference halls, offices and executive meeting rooms. The three models come with a choice of two bases: a 4-star base with automatic seat positioning mechanism or 5-star base with castors and a gas-operated height adjustment mechanism. Available with a wide choice of fabric, leather or faux leather coverings, the Aston shell is padded with polyurethane, providing comfortable support for the whole body with its wrap-around forms.

The Conference version also comes with a 4-leg steel base, better suited for the home, or with a steel cantilever base, perfect for the office.

The Aston collection is **GREENGUARD** certified.



Materials

Structure



Chromed
CRO



Alluminium
LU1

Faux leather
Soft leather
Soft leather Elmosoft
Fabric A - Orange 2
Fabric B - Flora 2
Fabric B - Pro 2
Fabric C - Divina 3
Fabric C - Divina Melange 2
Fabric C - Sinclair
Fabric C - Tonus 3
Fabric C - Topas 2
Fabric C - Hallingdal
Fabric D - Glove 2


Items



Aston

design Jean-Marie Massaud 2006

Lounge chair with central swivel structure in aluminium. The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or – as an option – red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.



COVERING		ART. 1901 SWIVEL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 28.2 / m³ 0.944	* H 140 cm. Meterage ml 1.90	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Faux leather, Elmosoft, Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather, Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather, Soft leather, Elmosoft, Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric, Faux leather. Contact us for further info.	EN 1728/00 6.2.1 EN 1728/00 6.2.2

Aluminium frame base



LU1

Covering

- Fabric

A

Orange 2

B

Flora 2
Pro 2

C

Divina 3
Divina Melange 2
Tonus 3
Topas 2
Hallingdal

D

Glove 2
- Faux leather

EP

8 Types
- Soft leather

PF

13 Types
- Soft leather Elmosoft




ES

42 Types

Wooden floor glides



Lounge chair with central swivel structure in aluminium, equipped with an automatic seat repositioning mechanism (art. 1904) and adjustable headrest (art. 1906). The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or – as an option – red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.



COVERING		ART. 1904 RETURN MECHANISM	ART. 1906 RETURN MECHANISM AND ADJUSTABLE HEADREST
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 27.5 / m³ 0.944	* H 140 cm. Meterage ml 1.90	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2; Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1

Covering

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft




42 Types

Wooden floor glides



Footstool with central structure in aluminium. The surface support component is available with shiny or lacquered finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.



Top support
Polished: Standard
Painted: On request



LU1



V12



V31

Standard

On request

On request

COVERING		ART. 1902 POUFF	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM. *			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 10.5 / m³ 0.141	* H 140 cm. Meterage ml 1.05	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1

Covering

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Wooden floor glides



Low table with central swivel structure in aluminium. The top support component is available with shiny or lacquered finish. The square-shaped top is in shiny lacquered MDF.

Top support

Polished: Standard
Painted: On request



Standard

LU1




On request

V12



On request

V31



BASE CROSS BASE	ART.	TOP	SHINY ALUMINIUM	
 CM. 49 x 49	1903	Mdf MD CM. 60 x 60		

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 11.8 / m³ 0.131			

Aluminium frame base



LU1

Top
Mdf shiny lacquered



M03




M29

Wooden floor glides



Chair with four-legged frame in chromed steel. The polyurethane shell is covered with leather, faux leather or fabric in a wide range of colours, or with customer's fabric.



COVERING			ART. 1917 CHROMED	
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP				
SOFT LEATHER - PF				
SOFT LEATHER ELMOSOFT - ES				
CUSTOMER'S OWN MATERIAL H. 140 CM. *				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 17.5 / m³ 0.344	* H 140 cm. Meterage ml 1.35	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Steel frame base



CRO

Covering

- Fabric

AOrange 2

BFlora 2Pro 2

CDivina 3Divina Melange 2Tonus 3Topas 2Hallingdal


DGlove 2
- Faux leather

EP8 Types
- Soft leather

PF13 Types
- Soft leather Elmosoft

ES42 Types

Chair with cantilever frame in chromed steel. The polyurethane shell is covered with leather, faux leather or fabric in a wide range of colours, or with customer's fabric.



COVERING		ART. 1916 CHROMED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 13.5 / m³ 0.344	* H 140 cm. Meterage ml 1.35	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2; Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Steel frame base



CRO

Covering

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather




13 Types

Soft leather Elmosoft



42 Types

Armchair with central swivel structure in aluminium; alternative version with seat repositioning mechanism available (art. 1914). The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or – as an option – red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.

**Aluminium seat support**

Polished: Standard
Painted: On request



Standard

LU1



On request

V12



On request

V31

COVERING		ART. 1913 SWIVEL BASE	ART. 1914 RETURN MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM. *			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 16 / m³ 0.348	* H 140 cm. Meterage ml 1.35	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1

Covering

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Wooden floor glides



Armchair with central swivel structure in aluminium; alternative version with seat repositioning mechanism available (art. 1911). The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or - as an option - red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.

 Standard

 On request



Aluminium seat support

Polished: Standard

Painted: On request



Standard

LU1




On request

V12



On request

V31



COVERING		ART. 1910 SWIVEL BASE	ART. 1911 RETURN MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 27.5 / m³ 0.944	* H 140 cm. Meterage ml 1.50	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	Art. 1910 EN 1728/00 6.2.1 1:3 3° EN 1728/00 6.2.2 1:3 3° EN 1728/00 6.5 1:5 5° EN 1728/00 6.6 1:5 5° EN 1728/00 6.8 1:3 3°

Aluminium frame base



LU1

Covering

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types



Wooden floor glides



Aston


design Jean-Marie Massaud 2006

Executive armchair with central swivel structure in aluminium; alternative version with seat repositioning mechanism available (art. 1908). The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or – as an option – red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.





COVERING		ART. 1907 SWIVEL BASE	ART. 1908 RETURN MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM. *			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 27.5 / m³ 0.944	* H 140 cm. Meterage ml 1.90	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	Art. 1907 EN 1728/00 6.7 1:5 5°



Covering



Chair on a five star castor base in aluminium, equipped with gas height adjustment mechanism. The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or - as an option - red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.

 Standard

 On request



Aluminium seat support

Polished: Standard

Painted: On request



Standard

LU1




On request

V12



On request

V31



COVERING		ART. 1915 GAS MECHANISM	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 17.5 / m³ 0.348	* H 140 cm. Meterage ml 1.35	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1

Covering

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft

ES





42 Types

Aston

design Jean-Marie Massaud 2006

Chair on a five star castor base in aluminium, with gas height adjustment mechanism. The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or - as an option - red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.



Aluminium seat support
Polished: Standard
Painted: On request
Standard
On request
On request

COVERING		ART. 1912 GAS MECHANISM	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM. *			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 27.75 / m³ 0.944	* H 140 cm. Meterage ml 1.50	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



Covering

Fabric

AOrange 2

BFlora 2Pro 2

CDivina 3Divina Melange 2Tonus 3Topas 2Hallingdal

DGlove 2

Faux leather

EP8 Types

Soft leather

PF13 Types

Soft leather Elmosoft

ES42 Types

Executive armchair with a five star castor base in aluminium, equipped with gas height adjustment mechanism. The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or – as an option – red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.

Standard



On request



Aluminium seat support

Polished: Standard

Painted: On request



Standard

LU1




On request

V12



On request

V31



COVERING		ART. 1909 GAS MECHANISM	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 27.75 / m³ 0.944	* H 140 cm. Meterage ml 1.90	FIRE RETARDANT FOAM: UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1

Covering

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types


arper

FINISH


Polyethylene




Stem ABS



Babar cushion in polyurethane




Leaf cushion in polyurethane



Polypropylene one colour




Polypropylene two colours




Leaf



Dizzie Table




Wood



Hard leather grade 2



Hard leather grade 1



Faux leather




Soft leather




Elmosoft




Fabric A
Orange 2



Fabric B
Flora 2




Fabric **B**
Pro 2




Fabric C
Divina 3

Fabric C
Divina Melange 2



Fabric C
Sinclair




Fabric C
Tonus 3

Fabric C
Topas 2



Fabric C
Hallingdal

Fabric **D**
Glove 2



Standard contrast stitching



CT120
Ochre stitching



CT031
Dark grey stitching



CT040
Black stitching

Simple standard contrast zip



CT420
Brown zip

Simple standard matching zip



CT100
Brown zip

NEW FINISH

Grey-lacquered
steel



V41

Red Aluminium




V42

Laminate



LM1



LM2



LM3



LM4

Wood



L0020




L0021

NEW FABRIC


Cava 3




Field




Clara



Remix



Lazio 2




Scuba



Tempo



Steelcut Trio



113



133



153



383



213



253



283



333



353



413



453



533



553



653



683



713



733



983



853



753



883



933



953