



**Aston**

**ASTON (Jean-Marie Massaud) 2006**

Lounge chairs: sleek, light, dynamic lines for Aston, a lounge chair that comes in a range of fabric, leather or faux leather coverings to match any decorating style. Designed for contract use, Aston also fits perfectly into the domestic habitat, with its matching Aston Ottoman footrest.

The shell, padded in polyurethane, wraps the body with its enveloping, ergonomic lines. The central swivel structure comes in polished or painted aluminium.

Aston models (in the three versions with low shell – Conference -, medium – Office -, high – Direction - ), with their distinctive design and balanced proportions are intended for conference halls, offices and executive meeting rooms. The three models come with a choice of two bases: a 4-star base with automatic seat positioning mechanism or 5-star base with castors and a gas-operated height adjustment mechanism. Available with a wide choice of fabric, leather or faux leather coverings, the Aston shell is padded with polyurethane, providing comfortable support for the whole body with its wrap-around forms.

The Conference version also comes with a 4-leg steel base, better suited for the home, or with a steel cantilever base, perfect for the office.

The Aston collection is **GREENGUARD** certified.



## Materials

### Structure





Chromed CRO Alluminium LU1

Faux leather
Soft leather
Soft leather Elmosoft
Fabric A - Orange 2
Fabric B - Flora 2
Fabric B - Pro 2
Fabric C - Divina 3
Fabric C - Divina Melange 2
Fabric C - Sinclair
Fabric C - Tonus 3
Fabric C - Topas 2
Fabric C - Hallingdal
Fabric D - Glove 2

### Items



Lounge chair with central swivel structure in aluminium. The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or – as an option – red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.



COVERING		<b>ART. 1901</b> SWIVEL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 28.2 / m³ 0.944	* H 140 cm. Meterage ml 1.90	<b>FIRE RETARDANT FOAM:</b> UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. <b>Contact us for further info.</b>	EN 1728/00 6.2.1 EN 1728/00 6.2.2

Aluminium frame base



LU1

**Covering**

Fabric



Orange 2



Flora 2  
Pro 2



Divina 3  
Divina Melange 2  
Tonus 3  
Topas 2  
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft






42 Types

Wooden floor glides




Lounge chair with central swivel structure in aluminium, equipped with an automatic seat repositioning mechanism (art. 1904) and adjustable headrest (art. 1906). The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or – as an option – red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.





COVERING		ART. 1904 RETURN MECHANISM	ART. 1906 RETURN MECHANISM AND ADJUSTABLE HEADREST
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			


SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 27.5 / m³ 0.944	* H 140 cm. Meterage ml 1.90	<b>FIRE RETARDANT FOAM:</b> UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. <b>Contact us for further info.</b>	



**Covering**



Footstool with central structure in aluminium. The surface support component is available with shiny or lacquered finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.



**Top support**  
 Polished: Standard  
 Painted: On request

Standard  
 LU1 On request  
 V12 On request  
 V31

COVERING		ART. 1902 POUFF	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 10.5 / m³ 0.141	* H 140 cm. Meterage ml 1.05	<b>FIRE RETARDANT FOAM:</b> UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. <b>Contact us for further info.</b>	

Aluminium frame base LU1

**Covering**

Fabric **A** Orange 2 **B** Flora 2 Pro 2 **C** Divina 3 Divina Melange 2 Tonus 3 Topas 2 Hallingdal **D** Glove 2

Faux leather **EP** 8 Types

Soft leather **PF** 13 Types

Soft leather Elmosoft **ES** 42 Types


Wooden floor glides

Low table with central swivel structure in aluminium. The top support component is available with shiny or lacquered finish. The square-shaped top is in shiny lacquered MDF.

**Top support**

Polished: Standard  
Painted: On request

- Standard
- LU1
- On request
- V12
- On request
- V31



BASE CROSS BASE	ART.	TOP	SHINY ALUMINIUM
<p>CM. 49 x 49</p>	<b>1903</b>	Mdf MD CM. 60 x 60 <input type="checkbox"/>	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 11.8 / m³ 0.131			

Aluminium frame base




Top  
Mdf shiny lacquered



Wooden floor glides



Chair with four-legged frame in chromed steel. The polyurethane shell is covered with leather, faux leather or fabric in a wide range of colours, or with customer's fabric.



COVERING		<b>ART. 1917</b> CHROMED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 17.5 / m <sup>3</sup> 0.344	* H 140 cm. Meterage ml 1.35	<b>FIRE RETARDANT FOAM:</b> UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. <b>Contact us for further info.</b>	

Steel frame base




CRO

Covering

- Fabric
- A** Orange 2
  - B** Flora 2 Pro 2
  - C** Divina 3  
Divina Melange 2  
Tonus 3  
Topas 2  
Hallingdal
  - D** Glove 2
- Faux leather
- EP**  
8 Types
- Soft leather
- PF**  
13 Types
- Soft leather Elmosoft
- ES**  
42 Types



Chair with cantilever frame in chromed steel. The polyurethane shell is covered with leather, faux leather or fabric in a wide range of colours, or with customer's fabric.



COVERING		<b>ART. 1916</b> CHROMED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 13.5 / m <sup>3</sup> 0.344	* H 140 cm. Meterage ml 1.35	<b>FIRE RETARDANT FOAM:</b> UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. <b>Contact us for further info.</b>	

Steel frame base



Covering

Fabric



Faux leather





Soft leather



Soft leather Elmosoft



Armchair with central swivel structure in aluminium; alternative version with seat repositioning mechanism available (art. 1914). The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or – as an option – red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.



COVERING		ART. 1913 SWIVEL BASE	ART. 1914 RETURN MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 16 / m³ 0.348	* H 140 cm. Meterage ml 1.35	<b>FIRE RETARDANT FOAM:</b> UK CONTRACT: BS7176-07 Medium Hazard: Faux leather, Elmosoft, Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather, Fabric (Tonus 3, Topas 2). UK DOMESTIC: BSS852-1:1979 Sch.4-5 Part1: Faux leather, Soft leather, Elmosoft, Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BSS852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric, Faux leather. <b>Contact us for further info.</b>	

Aluminium frame base



LU1

Covering

Fabric



Orange 2



Flora 2  
Pro 2



Divina 3  
Divina Melange 2  
Tonus 3  
Topas 2  
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Wooden floor glides



Armchair with central swivel structure in aluminium; alternative version with seat repositioning mechanism available (art. 1911). The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or - as an option - red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.

Standard



On request



**Aluminium seat support**

Polished: Standard  
Painted: On request



Standard



LU1

On request




V12

On request



V31



COVERING		<b>ART. 1910</b> SWIVEL BASE	<b>ART. 1911</b> RETURN MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 27.5 / m³0.944	* H 140 cm. Meterage ml 1.50	<b>FIRE RETARDANT FOAM:</b> UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. <b>Contact us for further info.</b>	<b>Art. 1910</b> EN 1728/00 6.2.1 1:3 3° EN 1728/00 6.2.2 1:3 3° EN 1728/00 6.5 1:5 5° EN 1728/00 6.6 1:5 5° EN 1728/00 6.8 1:3 3°

Aluminium frame base



LU1

**Covering**

Fabric



Orange 2



Flora 2  
Pro 2



Divina 3  
Divina Melange 2  
Tonus 3  
Topas 2  
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types



Wooden floor glides



Aston

design Jean-Marie Massaud 2006

Executive armchair with central swivel structure in aluminium; alternative version with seat repositioning mechanism available (art. 1908). The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or – as an option – red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.



COVERING		ART. 1907 SWIVEL BASE	ART. 1908 RETURN MECHANISM
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 27.5 / m <sup>3</sup> 0.944	* H 140 cm. Meterage ml 1.90	<b>FIRE RETARDANT FOAM:</b> UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. <b>Contact us for further info.</b>	<b>Art. 1907</b> EN 1728/00 6.7 1:5 5°

Aluminium frame base



LU1

Covering

Fabric



Orange 2



Flora 2  
Pro 2



Divina 3  
Divina Melange 2  
Tonus 3  
Topas 2  
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Wooden floor glides



Chair on a five star castor base in aluminium, equipped with gas height adjustment mechanism. The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or - as an option - red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.

Standard



On request



**Aluminium seat support**

Polished: Standard  
Painted: On request



Standard

LU1




On request

V12



On request

V31



COVERING		<b>ART. 1915</b> GAS MECHANISM	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 17.5 / m³ 0.348	* H 140 cm. Meterage ml 1.35	<b>FIRE RETARDANT FOAM:</b> UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. <b>Contact us for further info.</b>	

Aluminium frame base



LU1

**Covering**

Fabric



Orange 2



Flora 2  
Pro 2



Divina 3  
Divina Melange 2  
Tonus 3  
Topas 2  
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types



Soft leather Elmosoft









ES




42 Types

Chair on a five star castor base in aluminium, with gas height adjustment mechanism. The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or - as an option - red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.



COVERING		ART. 1912 GAS MECHANISM
FABRIC A		
FABRIC B		
FABRIC C		
FABRIC D		
FAUX LEATHER - EP		
SOFT LEATHER - PF		
SOFT LEATHER ELMOSOFT - ES		
CUSTOMER'S OWN MATERIAL H. 140 CM.*		

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 1 box - kg 27.75 / m <sup>3</sup> 0.944	* H 140 cm. Meterage ml 1.50	<b>FIRE RETARDANT FOAM:</b> UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. <b>Contact us for further info.</b>	

Aluminium frame base





LU1

Covering


- Fabric
  - A Orange 2
  - B Flora 2 Pro 2
  - C Divina 3 Divina Melange 2 Tonus 3 Topas 2 Hallingdal
  - D Glove 2
- Faux leather
  - EP  
8 Types
- Soft leather
  - PF  
13 Types
- Soft leather Elmosoft
  - ES  
42 Types

Executive armchair with a five star castor base in aluminium, equipped with gas height adjustment mechanism. The shell support component is available with shiny or lacquered finish. The spring providing the tilt movement has a chromed or – as an option – red finish. The polyurethane shell is covered with leather, faux leather, fabric in a wide range of colours or customer's fabric.




COVERING		ART. 1909 GAS MECHANISM	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 1 box - kg 27.75 / m³0.944	* H 140 cm. Meterage ml 1.90	<b>FIRE RETARDANT FOAM:</b> UK CONTRACT: BS7176-07 Medium Hazard: Faux leather. Elmosoft. Fabric (Flora 2, Pro 2, Divina 3, Divina Melange 2, Hallingdal). BS7176-07 Low Hazard: Soft leather. Fabric (Tonus 3, Topas 2). UK DOMESTIC: BS5852-1:1979 Sch.4-5 Part1: Faux leather. Soft leather. Elmosoft. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1:1979 Sch. 4 Part1: Fabric (Orange 2, Pro 2, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. <b>Contact us for further info.</b>	



**Covering**





arper




# FINISH


## Polyethylene




## Stem ABS



## Babar cushion in polyurethane




## Leaf cushion in polyurethane











































## Polypropylene one colour




## Polypropylene two colours



Leaf	 CRO	 V12	 V13	 V06				
Dizzie Table	 V12	 V32	 V33	 V36	 V37	 V35	 V34	 V39
Wood	 L0020	 L0022	 L0021					
Hard leather grade 2	 CT030	 CT031	 CT070	 CT450	 CT029	 CT034	 CT120	 CT100
	 CT090	 CT040	 CT110	 CT033	 CT020			
Hard leather grade 1	 CU033	 CU006	 CU026	 CU001				
Faux leather	 EP001	 EP002	 EP003	 EP007	 EP004	 EP005	 EP006	 EP008

Soft leather




Elmosoft




Fabric A  
Orange 2



Fabric B  
Flora 2




Fabric B  
Pro 2




Fabric C  
Divina 3



Fabric C  
Divina Melange 2



Fabric C  
Sinclair



Fabric C  
Tonus 3






Fabric C  
Topas 2



Fabric C  
Hallingdal



Fabric D  
Glove 2



Standard contrast stitching



CT120  
Ochre stitching



CT031  
Dark grey stitching



CT040  
Black stitching

Simple standard contrast zip



CT420  
Brown zip

Simple standard matching zip



CT100  
Brown zip

## NEW FINISH

Grey-lacquered  
steel



V41

Red Aluminium



V42

Laminate



LM1



LM2



LM3



LM4

Wood



L0020




L0021

# NEW FABRIC


Cava 3




Field




Clara



Remix



Lazio 2





Scuba




Tempo




Steelcut Trio



113



133




153



383



213



253



283



333



353



413



453



533




553




653



683




713



733



983



853



753



883



933



953