

Catifa 46

design Lievore Altherr Molina 2004



Catifa 46

four-legged frame

Catifa 46

design Lievore Altherr Molina 2004

CATIFA 46 (Lievore, Altherr, Molina) 2004

A new, more compact interpretation of the Catifa design that will fit into any setting: from homes to offices and contract environments. Stool version also available.

The Catifa 46 collection offers a wide choice of materials and colours. Shell in curved plywood, mono- or bi-colour polypropylene. The shell can be upholstered in leather, “faux” leather or fabric, customer’s own fabric or covered in hide. The base is available with sled base or in a number of 4-leg or trestle options. Catifa 46 also comes in a stool version in a range of seat and back heights.

In March 2008, the mono- and bi-colour polypropylene versions of Catifa 46 with four legs and trestle attained an **Environmental Product Declaration**.

The Catifa 46 collection is **GREENGUARD** certified.



Materials

Steel frame base



Chromed
CRO



Stainless steel
S03



Painted
V12



Painted
V40



Painted
V37



Painted
V34

Polypropylene one colour
Polypropylene two colours
Wood
Hard leather grade 2
Hard leather grade 1
Faux leather
Soft leather
Soft leather Elmosoft
Removibile
Fabric A - Orange 2
Fabric B - Flora 2
Fabric B - Pro 2
Fabric C - Divina 3
Fabric C - Divina Melange 2
Fabric C - Sinclair
Fabric C - Tonus 3
Fabric C - Topas 2
Fabric C - Hallingdal
Fabric D - Glove 2

Items



Accessories



Link Art. 0258



Trolley Art. 0760



Basket Art. 2065



Cushion Art. 0261



Stacking protection pad Art. 0262




Stacking protection pad with link Art. 0260



Catifa 46

design Lievore Altherr Molina 2004

Chair on four-legged frame, available with chromed or satin-finish steel structure and shell in single-colour polypropylene, bi-colour polypropylene, covered with hard leather.




ACCESSORIES

- Basket **Art. 2065**
- Set of glides **Art. 2015**
- Stacking protection pad **Art. 0262**
- Stacking protection pad with link **Art. 0260**
- Link **Art. 0258**
- Trolley **Art. 0760**
- Cushion **Art. 0261**
- up to 10 pcs.
- up to 20 pcs.
- only for PO + S03

COVERING			ART. 0251 CHROMED	ART. 0251 SATIN-FINISH
POLYPROPYLENE ONE COLOUR - PO				
POLYPROPYLENE TWO COLOURS - PO				
HARD LEATHER GRADE 2 - CT	max. 5pcs. with stacking pad			
HARD LEATHER GRADE 1 - CU	max. 5pcs. with stacking pad			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - kg 7.9 / m³ 0.243 4 pcs. = 2 boxes - kg 28 / m³ 0.304 Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	CHROMED: UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3° UNI EN 1728/00 6.13 1:5 4° UNI EN 1728/00 6.15 1:5 5° ANSI-BIFMA X5.1-2002 6 ANSI-BIFMA X5.1-2002 11 ANSI-BIFMA X5.1-2002 16 INOX: EN 1728/2000 - EN 15373:2007 6.2.1 1:3 3° EN 1728/2000 - EN 15373:2007 6.2.2 1:3 3° EN 1728/2000 - EN 15373:2007 6.7 1:3 3° EN 1728/2000 - EN 15373:2007 6.8 1:3 3°

Steel frame base



Covering

Polypropylene one colour



Polypropylene two colours



Hard leather grade 2



Hard leather grade 1



Chair on four-legged frame with painted steel structure available for outdoor.
The shell in single-colour polypropylene, bi-colour polypropylene, covered with hard leather.

ACCESSORIES

Basket **Art. 2065**

Set of glides **Art. 2015**

Stacking protection pad **Art. 0262**

Stacking protection pad with link **Art. 0260**

Link **Art. 0258**


Trolley **Art. 0760**

Cushion **Art. 0261**

 up to 5 pcs.

 up to 5 pcs.

 only for PO



COVERING			ART. 0251 PAINTED	
POLYPROPYLENE ONE COLOUR - PO				
POLYPROPYLENE TWO COLOURS - PO				
HARD LEATHER GRADE 2 - CT	 max. 5pcs. with stacking pad			
HARD LEATHER GRADE 1 - CU	 max. 5pcs. with stacking pad			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 2 boxes - kg 7.9 / m³ 0.243 4 pcs. = 2 boxes - kg 28 / m³ 0.304  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3° UNI EN 1728/00 6.13 1:5 4° UNI EN 1728/00 6.15 1:5 5° ANSI-BIFMA X5.1-2002 6 ANSI-BIFMA X5.1-2002 11 ANSI-BIFMA X5.1-2002 16

Steel frame base



Covering

Polypropylene one colour



9 Types

Polypropylene two colours



9 Types

Hard leather grade 2



13 Types

Hard leather grade 1




4 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on four-legged frame, available with chromed or satin-finish steel structure fitted with armrests. The shell is upholstered in leather, faux leather, fabric or customer's fabric.



ACCESSORIES

Basket **Art. 2065**Set of glides **Art. 2015**Stacking protection pad **Art. 0262**Stacking protection pad with link **Art. 0260**Link **Art. 0258**Trolley **Art. 0760**Cushion **Art. 0261**

up to 10 pcs.


up to 20 pcs.

only for PO + S03

COVERING		ART. 0254 CHROMED		ART. 0254 SATIN-FINISH	
		€		€	
POLYPROPYLENE ONE COLOUR - PO					
POLYPROPYLENE TWO COLOURS - PO					
HARD LEATHER GRADE 2 - CT max. 5pcs. with stacking pad					
HARD LEATHER GRADE 1 - CU max. 5pcs. with stacking pad					

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - kg 10.2 / m ³ 0.271 4 pcs. = 3 boxes - kg 35.7 / m ³ 0.340 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	CHROMED: UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.5 1:5 5° UNI EN 1728/00 6.6 1:5 5° UNI EN 1728/00 6.7 1:3 3° UNI EN 1728/00 6.10 1:5 5° UNI EN 1728/00 6.13 1:5 4° UNI EN 1728/00 6.15 1:5 5° ANSI-BIFMA X5.1-2002 6 ANSI-BIFMA X5.1-2002 11 ANSI-BIFMA X5.1-2002 16 INOX: EN 1728/2000 - EN 15373:2007 6.2.1 1:3 3° EN 1728/2000 - EN 15373:2007 6.2.2 1:3 3° EN 1728/2000 - EN 15373:2007 6.7 1:3 3° EN 1728/2000 - EN 15373:2007 6.8 1:3 3°

Steel frame base



Covering

Polypropylene one colour



9 Types

Polypropylene two colours



9 Types

Hard leather grade 2



13 Types

Hard leather grade 1




4 Types

ACCESSORIES

Cushion **Art. 0261**

 only for PO



Steel frame base

			
V12	V41	V37	V34

Covering

Polypropylene one colour



Polypropylene two colours



Hard leather grade 2




Hard leather grade 1



Catifa 46

design Lievore Altherr Molina 2004

Chair on four-legged frame, available with chromed or satin-finish steel structure and shell covered in leather, faux leather, fabric or customer's fabric.



ACCESSORIES

- Basket **Art. 2065**
- Set of glides **Art. 2015**
- Stacking protection pad **Art. 0262**
- Stacking protection pad with link **Art. 0260**
- Link **Art. 0258**
- Trolley **Art. 0760**

- up to 8 pcs. with stacking pad
- up to 8 pcs. with stacking pad

COVERING			ART. 0253 CHROMED	ART. 0253 SATIN-FINISH
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP	max. 5pcs. with stacking pad			
SOFT LEATHER - PF	max. 5pcs. with stacking pad			
SOFT LEATHER ELMOSOFT - ES	max. 5pcs. with stacking pad			
CUSTOMER'S OWN MATERIAL H. 140 CM.*				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - kg 9.2 / m³ 0.265 4 pcs. = 2 boxes - kg 34 / m³ 0.360 Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 140 cm. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather, Faux leather, Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather, Soft leather, Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	CHROMED: UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3° UNI EN 1728/00 6.13 1:5 4° UNI EN 1728/00 6.15 1:5 5° ANSI-BIFMA X5.1-2002 6 ANSI-BIFMA X5.1-2002 11 ANSI-BIFMA X5.1-2002 16 INOX: EN 1728/2000 - EN 15373:2007 6.2.1 1:3 3° EN 1728/2000 - EN 15373:2007 6.2.2 1:3 3° EN 1728/2000 - EN 15373:2007 6.7 1:3 3° EN 1728/2000 - EN 15373:2007 6.8 1:3 3°

Steel frame base



Covering

- Fabric

A

Orange 2

B

Flora 2
Pro 2

C

Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

D

Glove 2
- Faux leather

EP

8 Types
- Soft leather

PF

13 Types
- Soft leather Elmosoft

ES

42 Types

Chair on four-legged frame, with painted steel structure. The shell is covered in leather, faux leather, fabric or customer's fabric.

ACCESSORIES

Basket **Art. 2065**

Set of glides **Art. 2015**

Stacking protection pad **Art. 0262**


Stacking protection pad with link **Art. 0260**

Link **Art. 0258**

Trolley **Art. 0760**

 up to 8 pcs. with stacking pad

 up to 8 pcs. with stacking pad



COVERING		ART. 0253 PAINTED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP	 max. 5pcs. with stacking pad		
SOFT LEATHER - PF	 max. 5pcs. with stacking pad		
SOFT LEATHER ELMOSOFT - ES	 max. 5pcs. with stacking pad		
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - kg 9.2 / m ³ 0.265 4 pcs. = 2 boxes - kg 34 / m ³ 0.360  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 140 cm. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather, Faux leather, Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3° UNI EN 1728/00 6.13 1:5 4° UNI EN 1728/00 6.15 1:5 5° ANSI-BIFMA X5.1-2002 6 ANSI-BIFMA X5. 1-2002 11 ANSI-BIFMA X5. 1-2002 16

Steel frame base



Covering

Fabric



Faux leather



Soft leather




Soft leather Elmosoft



Catifa 46

design Lievore Altherr Molina 2004

Chair on four-legged frame, available with chromed or satin-finish steel structure fitted with armrests. The shell is upholstered in leather, faux leather, fabric or customer's fabric.



ACCESSORIES

- Basket **Art. 2065**
- Set of glides **Art. 2015**
- Stacking protection pad **Art. 0262**
- Stacking protection pad with link **Art. 0260**
- Link **Art. 0258**
- Trolley **Art. 0760**

-  up to 8 pcs. with stacking pad
-  up to 8 pcs. with stacking pad

COVERING			ART. 0256 CHROMED	ART. 0256 SATIN-FINISH
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP  max. 5pcs. with stacking pad				
SOFT LEATHER - PF  max. 5pcs. with stacking pad				
SOFT LEATHER ELMOSOFT - ES  max. 5pcs. with stacking pad				
CUSTOMER'S OWN MATERIAL H. 140 CM.*				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 3 boxes - kg 11.5 / m³ 0.293 4 pcs. = 3 boxes - kg 41.7 / m³ 0.396  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 140 cm. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	CHROMED: UNI EN 1728/00 6.2.1 1:3 3" UNI EN 1728/00 6.2.2 1:3 3" UNI EN 1728/00 6.5 1:5 5" UNI EN 1728/00 6.6 1:5 5" UNI EN 1728/00 6.7 1:3 3" UNI EN 1728/00 6.10 1:5 5" UNI EN 1728/00 6.13 1:5 4" UNI EN 1728/00 6.15 1:5 5" ANSI-BIFMA X5.1-2002 6 ANSI-BIFMA X5.1-2002 11 ANSI-BIFMA X5.1-2002 16 INOX: EN 1728/2000 - EN 15373:2007 6.2.1 1:3 3" EN 1728/2000 - EN 15373:2007 6.2.2 1:3 3" EN 1728/2000 - EN 15373:2007 6.7 1:3 3" EN 1728/2000 - EN 15373:2007 6.8 1:3 3"

Steel frame base



Covering

- Fabric

A

Orange 2

B

Flora 2
Pro 2

C

Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

D

Glove 2
- Faux leather

EP

8 Types
- Soft leather

PF

13 Types
- Soft leather Elmosoft

ES

42 Types

Chair on four-legged frame, with painted steel structure, fitted with armrests.
The shell is upholstered in leather, faux leather, fabric or customer's fabric.

ACCESSORIES

Basket **Art. 2065**

Set of glides **Art. 2015**

Stacking protection pad **Art. 0262**


Stacking protection pad with link **Art. 0260**

Link **Art. 0258**

Trolley **Art. 0760**

 up to 8 pcs. with stacking pad

 up to 8 pcs. with stacking pad



COVERING		ART. 0256 PAINTED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP	 max. 5pcs. with stacking pad		
SOFT LEATHER - PF	 max. 5pcs. with stacking pad		
SOFT LEATHER ELMOSOFT - ES	 max. 5pcs. with stacking pad		
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 3 boxes - kg 11.5 / m³ 0.293 4 pcs. = 3 boxes - kg 41.7 / m³ 0.396  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 140 cm. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.5 1:5 5° UNI EN 1728/00 6.6 1:5 5° UNI EN 1728/00 6.7 1:3 3° UNI EN 1728/00 6.10 1:5 5° UNI EN 1728/00 6.13 1:5 4° UNI EN 1728/00 6.15 1:5 5° ANSI-BIFMA X5.1-2002 6 ANSI-BIFMA X5. 1-2002 11 ANSI-BIFMA X5. 1-2002 16

Steel frame base



Covering

Fabric



Faux leather



Soft leather



Soft leather Elmosoft




42 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on four-legged frame, available with chromed or satin-finish steel structure and wood shell in three colour finishes (natural oak, bleached oak, wengé).



ACCESSORIES

- Basket **Art. 2065**
- Set of glides **Art. 2015**
- Stacking glide **Art. 0286**
- Link **Art. 0258**
- Trolley **Art. 0760**
- Cushion **Art. 0261**

-  up to 10 pcs. with stacking glide
-  up to 10 pcs. with stacking glide

COVERING		ART. 0351 CHROMED	ART. 0351 SATIN-FINISH
WOOD - L			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - kg 7.38 / m³ 0.241 4 pcs. = 2 boxes - kg 25.9 / m³ 0.316  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	CHROMED: UNI EN 1728/00 6.7 1:5 5° UNI EN 1728/00 6.13 1:5 5°

Steel frame base



Covering

Wood



3 Types


Catifa 46

design Lievore Altherr Molina 2004

Chair on four-legged frame, with painted steel structure. The shell is in wood with three colour finishes (natural oak, bleached oak, wengé).

ACCESSORIES

Basket **Art. 2065**Set of glides **Art. 2015**Stacking glide **Art. 0286**Link **Art. 0258**Trolley **Art. 0760**Cushion **Art. 0261**
 up to 5 pcs. with stacking glide

 up to 5 pcs. with stacking glide


COVERING		ART. 0351 PAINTED	
WOOD - L			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - kg 7.38 / m³ 0.241 4 pcs. = 2 boxes - kg 25.9 / m³ 0.316  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	UNI EN 1728/00 6.7 1:5 5° UNI EN 1728/00 6.13 1:5 5°

Steel frame base



Covering

Wood



3 Types

design Lievore Altherr Molina 2004

Technical drawing of the 'Stool' showing three views: front, side, and perspective. The stool has a light-colored seat and a metal frame. Dimensions are provided in centimeters: front view shows a seat width of 58 cm and a height of 52.5 cm; side view shows a seat depth of 67 cm and a height of 79 cm; perspective view shows a seat width of 51 cm and a height of 45 cm. A detail view of the leg shows a diameter of 56 cm.

Basket **Art. 2065**
Set of glides **Art. 2015**
Stacking glide **Art. 0286**
Link **Art. 0258**
Trolley **Art. 0760**
Cushion **Art. 0261**

 up to 5 pcs. with stacking glide

 up to 5 pcs. with stacking glide

[illegible]

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - kg 9.68 / m³ 0.269 4 pcs. = 3 boxes - kg 33.6 / m³ 0.352  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	 UNI EN 1728/00 6.5 1:5 5° UNI EN 1728/00 6.6 1:5 5° UNI EN 1728/00 6.7 1:5 5° UNI EN 1728/00 6.10 1:5 5° UNI EN 1728/00 6.13 1:5 5°

CRO S03

Covering


L
3 Types

Chair on four-legged frame, with painted steel structure, fitted with armrests.
The shell is in wood with three colour finishes (natural oak, bleached oak, wengé).

ACCESSORIES

Basket **Art. 2065**
Set of glides **Art. 2015**
Stacking glide **Art. 0286**
Link **Art. 0258**
Trolley **Art. 0760**
Cushion **Art. 0261**

 up to 5 pcs. with stacking glide
 up to 5 pcs. with stacking glide



COVERING		ART. 0354 PAINTED	
WOOD - L			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 3 boxes - kg 9.68 / m³ 0.269 4 pcs. = 3 boxes - kg 33.6 / m³ 0.352  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	UNI EN 1728/00 6.5 1:5 5° UNI EN 1728/00 6.6 1:5 5° UNI EN 1728/00 6.7 1:5 5° UNI EN 1728/00 6.10 1:5 5° UNI EN 1728/00 6.13 1:5 5°

Steel frame base



Covering

Wood




3 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on four-legged frame, available with chromed or satin-finish steel structure and polypropylene shell with leather, faux leather or fabric upholstery applied to the seat surface.



ACCESSORIES

Basket **Art. 2065**Set of glides **Art. 2015**Stacking protection pad **Art. 0262**Stacking protection pad with link **Art. 0260**Link **Art. 0258**Trolley **Art. 0760**

up to 8 pcs. with stacking pad

up to 8 pcs. with stacking pad

COVERING		ART. 0458 CHROMED	ART. 0458 SATIN-FINISH
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP	max. 5pcs. with stacking pad		
SOFT LEATHER - PF	max. 5pcs. with stacking pad		
SOFT LEATHER ELMOSOFT - ES	max. 5pcs. with stacking pad		
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - kg 10.60 / m³ 0.272 4 pcs. = 2 boxes - kg 35.44 / m³ 0.638 Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 140 cm. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	CHROMED: UNI EN 1728/00 6.7 1:5 5° UNI EN 1728/00 6.13 1:5 5°

Steel frame base



CRO



S03

Covering

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Shell colours

Polypropylene one colour



9 Types



Chair on four-legged frame, with painted steel structure. Polypropylene shell with leather, faux leather or fabric upholstery applied to the seat surface.

ACCESSORIES

Basket **Art. 2065**

Set of glides **Art. 2015**

Stacking protection pad **Art. 0262**


Stacking protection pad with link **Art. 0260**

Link **Art. 0258**

Trolley **Art. 0760**

 up to 8 pcs. with stacking pad

 up to 8 pcs. with stacking pad



COVERING		ART. 0458 PAINTED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP	 max. 5pcs. with stacking pad		
SOFT LEATHER - PF	 max. 5pcs. with stacking pad		
SOFT LEATHER ELMOSOFT - ES	 max. 5pcs. with stacking pad		
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - kg 10.60 / m³ 0.272 4 pcs. = 2 boxes - kg 35.44 / m³ 0.638  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 140 cm. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather, Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	UNI EN 1728/00 6.7 1:5 5° UNI EN 1728/00 6.13 1:5 5°

Steel frame base



Covering

Fabric



Faux leather



Soft leather



Soft leather Elmosoft



Shell colours


Polypropylene one colour



Catifa 46

design Lievore Altherr Molina 2004

Chair on four-legged frame, available with chromed or satin-finish steel structure fitted with armrests. The shell is in polypropylene with leather, faux leather or fabric upholstery applied to the seat surface.



ACCESSORIES


- Basket **Art. 2065**
- Set of glides **Art. 2015**
- Stacking protection pad **Art. 0262**
- Stacking protection pad with link **Art. 0260**
- Link **Art. 0258**
- Trolley **Art. 0760**

- up to 8 pcs. with stacking pad
- up to 8 pcs. with stacking pad

COVERING		ART. 0459 CHROMED	ART. 0459 SATIN-FINISH
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP	max. 5pcs. with stacking pad		
SOFT LEATHER - PF	max. 5pcs. with stacking pad		
SOFT LEATHER ELMOSOFT - ES	max. 5pcs. with stacking pad		
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - kg 12.90 / m³ 0.300 4 pcs. = 3 boxes - kg 43.12 / m³ 0.404 Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 140 cm. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather, Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	UNI EN 1728/00 6.5 1:5 5° UNI EN 1728/00 6.6 1:5 5° UNI EN 1728/00 6.7 1:5 5° UNI EN 1728/00 6.10 1:5 5° UNI EN 1728/00 6.13 1:5 5°

Steel frame base



Covering

- Fabric
 - A** Orange 2
 - B** Flora 2 Pro 2
 - C** Divina 3, Divina Melange 2, Sinclair, Tonus 3, Topas 2, Hallingdal
 - D** Glove 2
- Faux leather
 - EP** 8 Types
- Soft leather
 - PF** 13 Types
- Soft leather Elmosoft
 - ES** 42 Types

Shell colours

Polypropylene one colour



Chair on four-legged frame, with painted steel structure, fitted with armrests.
The shell is in polypropylene with leather, faux leather or fabric upholstery applied to the seat surface.

ACCESSORIES

Basket **Art. 2065**

Set of glides **Art. 2015**

Stacking protection pad **Art. 0262**


Stacking protection pad with link **Art. 0260**

Link **Art. 0258**

Trolley **Art. 0760**

 up to 8 pcs. with stacking pad

 up to 8 pcs. with stacking pad



COVERING		ART. 0459 PAINTED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP	 max. 5pcs. with stacking pad		
SOFT LEATHER - PF	 max. 5pcs. with stacking pad		
SOFT LEATHER ELMOSOFT - ES	 max. 5pcs. with stacking pad		
CUSTOMER'S OWN MATERIAL H. 140 CM.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - kg 12.90 / m ² 0.300 4 pcs. = 3 boxes - kg 43.12 / m ² 0.404 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 140 cm. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather, Faux leather, Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather, Soft leather, Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric, Faux leather. Contact us for further info.	UNI EN 1728/00 6.5 1:5 5° UNI EN 1728/00 6.6 1:5 5° UNI EN 1728/00 6.7 1:5 5° UNI EN 1728/00 6.10 1:5 5° UNI EN 1728/00 6.13 1:5 5°

Steel frame base



Covering

Fabric



Faux leather



Soft leather



Soft leather Elmosoft



Shell colours

Polypropylene one colour



Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leather grade 1, hard leather grade 2 and soft leather:

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:

May be cleaned with a damp, soft cloth using lukewarm water.

Warranty

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.


arper

FINISH


Polyethylene




Stem ABS




Babar cushion in polyurethane




Leaf cushion in polyurethane



Polypropylene one colour




Polypropylene two colours




Leaf



Dizzie Table




Wood



Hard leather grade 2



Hard leather grade 1



Faux leather




Soft leather




Elmosoft




Fabric A
Orange 2



Fabric B
Flora 2




Fabric **B**
Pro 2




Fabric C
Divina 3

Fabric C
Divina Melange 2



Fabric C
Sinclair



Fabric C
Tonus 3

Fabric C
Topas 2



Fabric C
Hallingdal

Fabric **D**
Glove 2



Standard contrast stitching



CT120
Ochre stitching



CT031
Dark grey stitching



CT040
Black stitching

Simple standard contrast zip



CT420
Brown zip

Simple standard matching zip



CT100
Brown zip

NEW FINISH

Grey-lacquered
steel



V41

Red Aluminium




V42

Laminate



LM1



LM2



LM3



LM4

Wood



L0020




L0021

NEW FABRIC


Cava 3




Field




Clara



Remix



Lazio 2




Scuba



Tempo



Steelcut Trio



113



133



153



383



213



253



283



333



353



413



453



533



553



653



683



713



733



983



853



753



883



933



953

Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leather grade 1, hard leather grade 2 and soft leather:

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:

May be cleaned with a damp, soft cloth using lukewarm water.

Warranty

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.

Arper Spa si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso. Per maggiori informazioni visitate il sito www.arper.it

Arper Spa reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice. For further information, please visit www.arper.it