

Catifa 46

design Lievore Altherr Molina 2004



Catifa 46

sled base

Catifa 46

design Lievore Altherr Molina 2004

CATIFA 46 (Lievore, Altherr, Molina) 2004

A new, more compact interpretation of the Catifa design that will fit into any setting: from homes to offices and contract environments. Stool version also available.

The Catifa 46 collection offers a wide choice of materials and colours. Shell in curved plywood, mono- or bi-colour polypropylene. The shell can be upholstered in leather, "faux" leather or fabric, customer's own fabric or covered in hide. The base is available with sled base or in a number of 4-leg or trestle options. Catifa 46 also comes in a stool version in a range of seat and back heights.

In March 2008, the mono- and bi-colour polypropylene versions of Catifa 46 with four legs and trestle attained an [Environmental Product Declaration](#).

The Catifa 46 collection is [GREENGUARD](#) certified.



reddot design award
winner 2006

Materials

Steel frame base



Cromato
CRO

Polypropylene one colour
Polypropylene two colours
Wood
Hard leather grade 2
Hard leather grade 1
Faux leather
Soft leather
Soft leather Elmosoft
Removibile
Fabric A - Orange 2
Fabric B - Flora 2
Fabric B - Pro 2
Fabric C - Divina 3
Fabric C - Divina Melange 2
Fabric C - Sinclair
Fabric C - Tonus 3
Fabric C - Topas 2
Fabric C - Hallingdal
Fabric D - Glove 2

Items



Accessories



Link Art. 0258



Trolley Art. 0760



Basket Art. 2065



Cushion Art. 0261



Stacking protection pad Art. 0262




Stacking protection pad with link Art. 0260



Catifa 46


design Lievore Altherr Molina 2004

Chair on chromed steel sled base with shell in single-colour polypropylene, bi-colour polypropylene, covered with hard leather.



ACCESSORIES see specs at page 128

Basket **Art. 2065**
 Stacking protection pad **Art. 0262**
 Stacking protection pad with link **Art. 0260**
 Link **Art. 0258**
 Trolley **Art. 0760**
 Cushion **Art. 0261**



COVERING		FIRE	ART. 0278 CHROMED		RESISTANCE TEST
			\$	\$	
POLYPROPYLENE ONE COLOUR - PO			Q.D.		
POLYPROPYLENE TWO COLOURS - PO			Q.D.		
HARD LEATHER GRADE 2 - CT	max. 5pcs. with stacking pad				
HARD LEATHER GRADE 1 - CU	max. 5pcs. with stacking pad				

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 22.93 / ft³ 8.650 4 pcs. = 2 boxes - lb 70.56 / ft³ 10.73 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: + 21 \$ - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	EN 1728/00 6.2.1 1:3 3° EN 1728/00 6.2.2 1:3 3° EN 1728/00 6.7 1:3 3° EN 1728/00 6.8 1:3 3° EN 1728/00 6.12 1:3 3° EN 1728/00 6.13 1:5 4° EN 1022/05 ANSI-BIFMA X5. 1-2002 12

Steel frame base



CRO

Covering (see at page 312)

Polypropylene one colour



9 Types

Q.D. Only PO: 101, 103, 106 and 109

Polypropylene two colours



9 Types

Q.D. Only PO: 209, 205 and 207

Hard leather grade 2



13 Types

Hard leather grade 1




4 Types

Seat on chromed steel sled base fitted with armrests. The shell is in single-colour polypropylene, bi-colour polypropylene covered in hard leather.

ACCESSORIES see specs at page 128

Cushion **Art. 0261**



COVERING		ART. 0281 CHROMED			
		\$		\$	
POLYPROPYLENE ONE COLOUR - PO		Q.D.			
POLYPROPYLENE TWO COLOURS - PO		Q.D.			
HARD LEATHER GRADE 2 - CT					
HARD LEATHER GRADE 1 - CU					

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 28.00 / ft ³ 9.642 4 pcs. = 3 boxes - lb 87.53 / ft ³ 12.00 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: + 21 \$ - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	EN 1728/00 6.2.1 1:3 3° EN 1728/00 6.2.2 1:3 3° EN 1728/00 6.7 1:3 3° EN 1728/00 6.8 1:3 3° EN 1728/00 6.12 1:3 3° EN 1728/00 6.13 1:5 4° EN 1022/05 ANSI-BIFMA X5. 1-2002 12

Steel frame base



CRO

Covering (see at page 312)

Polypropylene one colour



9 Types



Only PO: 101, 103, 106 and 109

Polypropylene two colours



9 Types



Only PO: 209, 205 and 207

Hard leather grade 2



13 Types

Hard leather grade 1




4 Types

Catifa 46


design Lievore Altherr Molina 2004

Chair on chromed steel sled base with shell upholstered in leather, faux leather, fabric or customer's fabric.



ACCESSORIES see specs at page 128

Basket **Art. 2065**
Stacking protection pad **Art. 0262**
Stacking protection pad with link **Art. 0260**
Link **Art. 0258**
Trolley **Art. 0760**



COVERING		ART. 0280 CHROMED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP	max. 5pcs with stacking pad		Q.D.
SOFT LEATHER - PF	max. 5pcs with stacking pad		Q.D.
SOFT LEATHER ELMOSOFT - ES	max. 5pcs with stacking pad		
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 25.79 / ft³ 9.43 4 pcs. = 2 boxes - lb 83.79 / ft³ 12.71 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	EN 1728/00 6.2.1 1:3 3° EN 1728/00 6.2.2 1:3 3° EN 1728/00 6.7 1:3 3° EN 1728/00 6.8 1:3 3° EN 1728/00 6.12 1:3 3° EN 1728/00 6.13 1:5 4° EN 1022/05 ANSI-BIFMA X5. 1-2002 12

Steel frame base

CRO

Covering (see at page 312)

Fabric

AOrange 2

BFlora 2
Pro 2

CDivina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

DGlove 2

Faux leather

EP

Q.D. Only faux leather: EP008 and EP001

8 Types

Soft leather

PF

Q.D. Only soft leather: PF007 and PF006


13 Types

Soft leather Elmosoft

ES

42 Types

Chair on chromed steel sled base fitted with armrests. The shell is upholstered in leather, faux leather, fabric or customer's fabric.



COVERING		ART. 0283 CHROMED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP		Q.D.	
SOFT LEATHER - PF		Q.D.	
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 30.87 / ft³ 10.41 4 pcs. = 3 boxes - lb 100.76 / ft³ 13.99 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	EN 1728/00 6.2.1 1:3 3° EN 1728/00 6.2.2 1:3 3° EN 1728/00 6.7 1:3 3° EN 1728/00 6.8 1:3 3° EN 1728/00 6.12 1:3 3° EN 1728/00 6.13 1:5 4° EN 1022/05 ANSI-BIFMA X5. 1-2002 12

Steel frame base




CRO

Covering (see at page 312)


Fabric



Faux leather



Soft leather




Soft leather Elmosoft



Catifa 46

design Lievore Altherr Molina 2004

Chair on sled base, available with chromed steel structure and wood shell in three colour finishes (natural oak, bleached oak, wengé).



ACCESSORIES see specs at page 128

- Basket **Art. 2065**
- Stacking glide **Art. 0286**
- Link **Art. 0258**
- Trolley **Art. 0760**
- Cushion **Art. 0261**

-  up to 10 pcs. with stacking glide
-  up to 10 pcs. with stacking glide

COVERING		ART. 0378 CHROMED	
WOOD - L		Q.D.	

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 2 boxes - lb 21.78 / ft³ 8.583 4 pcs. = 2 boxes - lb 65.93 / ft³ 11.16 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	EN 1728/00 6.2.1 1:5 4° EN 1728/00 6.2.2 1:5 4° EN 1728/00 6.7 1:5 4° EN 1728/00 6.8 1:5 4° EN 1728/00 6.12 1:3 3° EN 1728/00 6.13 1:5 4° EN 1728/00 6.15 1:5 4° EN 1728/00 6.16 1:5 4° BS 4875-1/01 annex C 1:5 4°

Steel frame base


CRO

Covering (see at page 312)

Wood


3 Types

 Only: L0020 and L0021

Catifa 46

design Lievore Altherr Molina 2004


Chair on chromed steel sled base fitted with armrests. The wood shell is available in three colour finishes (natural oak, bleached oak, wengé).

Catifa 46

design Lievore Altherr Molina 2004

ACCESSORIES see specs at page 128

Cushion **Art. 0261**



COVERING		ART. 0379 CHROMED	
WOOD - L		Q.D.	
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 3 boxes - lb 26.85 / ft ³ 9.57 4 pcs. = 3 boxes - lb 82.90 / ft ³ 12.43 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	EN 1728/00 6.2.1 1:5 4° EN 1728/00 6.2.2 1:5 4° EN 1728/00 6.7 1:5 4° EN 1728/00 6.8 1:5 4° EN 1728/00 6.12 1:3 3° EN 1728/00 6.13 1:5 4° EN 1728/00 6.15 1:5 4° EN 1728/00 6.16 1:5 4° BS 4875-1/01 annex C 1:5 4°

Steel frame base



CRO

Covering (see at page 312)

Wood



3 Types




Only: L0020 and L0021

Catifa 46


design Lievore Altherr Molina 2004

Chair on sled base, available with chrome steel structure and polypropylene shell with leather, faux leather or fabric upholstery applied to the seat surface.



ACCESSORIES see specs at page 128

Basket **Art. 2065**
Stacking protection pad **Art. 0262**
Stacking protection pad with link **Art. 0260**
Link **Art. 0258**
Trolley **Art. 0760**



up to 8 pcs. with stacking pad

COVERING		ART. 0468 CHROMED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP	max. 5pcs. with stacking pad		
SOFT LEATHER - PF	max. 5pcs. with stacking pad		
SOFT LEATHER ELMOSOFT - ES	max. 5pcs. with stacking pad		
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 28.88 / ft³ 9.69 4 pcs. = 2 boxes - lb 86.96 / ft³ 12.99 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	EN1728/00 6.12 1:3 3° EN1728/00 6.13 1:5 4°

Steel frame base



CRO

Covering (see at page 312)

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Shell colours

Polypropylene one colour




9 Types



Catifa 46

design Lievore Altherr Molina 2004

Seat on sled base, available with chromed steel structure fitted with armrests.
The shell is in polypropylene with leather, faux leather or fabric upholstery applied to the seat surface.



COVERING		ART. 0469 CHROMED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 3 boxes - lb 33.95 / ft³ 10.66 4 pcs. = 3 boxes - lb 103.90 / ft³ 14.27 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	EN1728/00 6.12 1:3 3° EN1728/00 6.13 1:5 4°

Steel frame base



CRO

Covering (see at page 312)

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Shell colours


Polypropylene one colour




9 Types



design Lievore Altherr Molina 2004



Basket **Art. 2065**
Stacking protection pad **Art. 0262**
Writing tablet **Art. 0263**
Link **Art. 0258**
Trolley **Art. 0760**
Cushion **Art. 0261**



COVERING			ART. 0287 CHROMED	
POLYPROPYLENE ONE COLOUR - PO				
POLYPROPYLENE TWO COLOURS - PO				
HARD LEATHER GRADE 2 - CT  max. 5pcs. with stacking pad				
HARD LEATHER GRADE 1 - CU  max. 5pcs. with stacking pad				

SHIPMENT DETAILS		TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 2 boxes - lb 23.41 / ft³ 10.49 4 pcs. = 2 boxes - lb 78.71 / ft³ 13.84  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.			POLYPROPYLENE FIRE RETARDANT: + 21 \$ - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	UNI EN 1728/00 6.2.1 1:5 5° UNI EN 1728/00 6.2.2 1:5 5°



CBO

Covering (see at page 312)

PO
9 Types

PO
9 Types

CT
13 Types


CU
4 Types

Chair on chromed steel sled base with shell upholstered in leather, faux leather, fabric or customer's fabric.

ACCESSORIES see specs at page 128

Basket **Art. 2065**
Stacking protection pad **Art. 0262**
Writing tablet **Art. 0263**
Link **Art. 0258**
Trolley **Art. 0760**

 up to 8 pcs. with stacking pad
 up to 8 pcs. with stacking pad



COVERING			ART. 0289 CHROMED	
FABRIC A				
FABRIC B				
FABRIC C				
FABRIC D				
FAUX LEATHER - EP	 max. 5pcs. with stacking pad			
SOFT LEATHER - PF	 max. 5pcs. with stacking pad			
SOFT LEATHER ELMOSOFT - ES	 max. 5pcs. with stacking pad			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*				
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST		RESISTANCE TEST
1 pcs. = 2 boxes - lb 26.28 / ft ³ 11.26 4 pcs. = 2 boxes - lb 91.94 / ft ³ 15.82  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.		UNI EN 1728/00 6.2.1 1:5 5° UNI EN 1728/00 6.2.2 1:5 5°

Steel frame base



CRO

Covering (see at page 312)

Fabric



Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft




42 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on sled base in chromed steel and wood shell available in three colour finishes (natural oak, bleached oak, wengé).



ACCESSORIES see specs at page 128

Basket **Art. 2065**
Stacking glide **Art. 0286**
Writing tablet **Art. 0263**
Link **Art. 0258**
Trolley **Art. 0760**
Cushion **Art. 0261**

 up to 10 pcs. with stacking glide
 up to 10 pcs. with stacking glide

COVERING		ART. 0387 CHROMED	
WOOD - L			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	 RESISTANCE TEST
1 pcs. = 2 boxes - lb 22.27 / ft³ 10.41 4 pcs. = 2 boxes - lb 74.08 / ft³ 14.26  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	

Steel frame base


CRO

Covering (see at page 312)

Wood


3 Types

Chair on chromed steel sled base and shell in polypropylene with leather, faux leather, fabric or customer's fabric upholstery applied to the seat surface.

ACCESSORIES see specs at page 128

Basket **Art. 2065**


Stacking protection pad **Art. 0262**

Writing tablet **Art. 0263**

Link **Art. 0258**

Trolley **Art. 0760**

 up to 8 pcs. with stacking pad
 up to 8 pcs. with stacking pad



COVERING		ART. 0470 CHROMED	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP	 max. 5pcs. with stacking pad		
SOFT LEATHER - PF	 max. 5pcs. with stacking pad		
SOFT LEATHER ELMOSOFT - ES	 max. 5pcs. with stacking pad		
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 2 boxes - lb 29.37 / ft ³ 11.51 4 pcs. = 2 boxes - lb 95.08 / ft ³ 16.10  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Steel frame base



CRO

Covering (see at page 312)

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Shell colours

Polypropylene one colour



9 Types



Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leather grade 1, hard leather grade 2 and soft leather:

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:

May be cleaned with a damp, soft cloth using lukewarm water.

Warranty

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.


arper

FINISH


Polyethylene




Stem ABS




Babar cushion in polyurethane




Leaf cushion in polyurethane



Polypropylene one colour




Polypropylene two colours




Leaf



Dizzie Table




Wood



Hard leather grade 2



Hard leather grade 1



Faux leather




Soft leather




Elmosoft




Fabric A
Orange 2



Fabric B
Flora 2




Fabric **B**
Pro 2




Fabric C
Divina 3

Fabric C
Divina Melange 2



Fabric C
Sinclair



Fabric C
Tonus 3

Fabric C
Topas 2



Fabric C
Hallingdal

Fabric **D**
Glove 2



Standard contrast stitching



CT120
Ochre stitching



CT031
Dark grey stitching



CT040
Black stitching

Simple standard contrast zip



CT420
Brown zip

Simple standard matching zip



CT100
Brown zip

NEW FINISH

Grey-lacquered
steel



V41

Red Aluminium




V42

Laminate



LM1



LM2



LM3



LM4

Wood



L0020




L0021

NEW FABRIC


Cava 3




Field




Clara



Remix



Lazio 2




Scuba



Tempo



Steelcut Trio



113



133



153



383



213



253



283



333



353



413



453




533



553



653



683



713



733



983



853



753



883



933



953

Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leather grade 1, hard leather grade 2 and soft leather:

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:

May be cleaned with a damp, soft cloth using lukewarm water.

Warranty

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.

Arper Spa si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso. Per maggiori informazioni visitate il sito www.arper.it

Arper Spa reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice. For further information, please visit www.arper.it