

Catifa 46

design Lievore Altherr Molina 2004



Catifa 46

swivelling pedestal base

Catifa 46

design Lievore Altherr Molina 2004

CATIFA 46 (Lievore, Altherr, Molina) 2004

A new, more compact interpretation of the Catifa design that will fit into any setting: from homes to offices and contract environments. Stool version also available.

The Catifa 46 collection offers a wide choice of materials and colours. Shell in curved plywood, mono- or bi-colour polypropylene. The shell can be upholstered in leather, "faux" leather or fabric, customer's own fabric or covered in hide. The base is available with sled base or in a number of 4-leg or trestle options. Catifa 46 also comes in a stool version in a range of seat and back heights.

In March 2008, the mono- and bi-colour polypropylene versions of Catifa 46 with four legs and trestle attained an [Environmental Product Declaration](#).

The Catifa 46 collection is [GREENGUARD](#) certified.



Materials

Steel frame base



Chrome
CRO

Polypropylene one colour
Polypropylene two colours
Wood
Hard leather grade 2
Hard leather grade 1
Faux leather
Soft leather
Soft leather Elmosoft
Removibile
Fabric A - Orange 2
Fabric B - Flora 2
Fabric B - Pro 2
Fabric C - Divina 3
Fabric C - Divina Melange 2
Fabric C - Sinclair
Fabric C - Tonus 3
Fabric C - Topas 2
Fabric C - Hallingdal
Fabric D - Glove 2

Items



Accessories



Cushion Art. 0261




Set of glides Art. 2015

Catifa 46

design Lievore Altherr Molina 2004

Chair on swivelling pedestal base in chromed steel and shell in single-colour polypropylene, bi-colour polypropylene, covered with hard leather.



ACCESSORIES

Set of glides **Art. 2015**
Cushion **Art. 0261**

COVERING		ART. 0257	
POLYPROPYLENE ONE COLOUR - PO		Q.D.	
POLYPROPYLENE TWO COLOURS - PO		Q.D.	
HARD LEATHER GRADE 2 - CT			
HARD LEATHER GRADE 1 - CU			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 23.37 / ft³ 8.650 4 pcs. = 2 boxes - lb 71.44 / ft³ 11.86 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: + 40 \$ - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	UNI EN 1728/00 6.2.1 1:5 5° UNI EN 1728/00 6.2.2 1:5 5° UNI EN 1728/00 6.7 1:5 5°

Steel frame base 
CRO

Covering

- Polypropylene one colour

PO

9 Types

Q.D. Only PO: 101, 103, 106 and 109
- Polypropylene two colours

PO

9 Types

Q.D. Only PO: 209, 205 and 207
- Hard leather grade 2

CT

13 Types
- Hard leather grade 1

CU


4 Types

Chair on swivelling pedestal base in chromed steel, fitted with armrests. The shell is in single-colour polypropylene, bi-colour polypropylene or covered in hard leather.

ACCESSORIES

Set of glides **Art. 2015**

Cushion **Art. 0261**



COVERING		ART. 0270 SWIVEL BASE	
POLYPROPYLENE ONE COLOUR - PO		Q.D.	
POLYPROPYLENE TWO COLOURS - PO		Q.D.	
HARD LEATHER GRADE 2 - CT			
HARD LEATHER GRADE 1 - CU			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 28.62 / ft³ 9.674 4 pcs. = 3 boxes - lb 89.39 / ft³ 13.13 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: + 40 \$ - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	UNI EN 1728/00 6.2.1 1:5 5° UNI EN 1728/00 6.2.2 1:5 5° UNI EN 1728/00 6.5 1:5 5° UNI EN 1728/00 6.7 1:5 5°

Steel frame base



CRO

Covering

Polypropylene one colour



9 Types



Only PO: 101, 103, 106 and 109

Polypropylene two colours



9 Types



Only PO: 209, 205 and 207

Hard leather grade 2



13 Types

Hard leather grade 1




4 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on swivelling chromed steel pedestal base with shell upholstered in leather, faux leather, fabric or customer's fabric.



ACCESSORIES

Set of glides **Art. 2015**

COVERING		ART. 0259 SWIVEL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP		Q.D.	
SOFT LEATHER - PF		Q.D.	
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 26.23 / ft³ 9.427 4 pcs. = 2 boxes - lb 84.67 / ft³ 13.84 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	UNI EN 1728/00 6.2.1 1:5 5° UNI EN 1728/00 6.2.2 1:5 5° UNI EN 1728/00 6.7 1:5 5°

Steel frame base



CRO

Covering

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types



Only faux leather: EP008 and EP001

Soft leather



13 Types



Only soft leather: PF007 and PF006

Soft leather Elmosoft




42 Types

Chair on swivelling pedestal base in chromed steel, fitted with armrests. The shell is upholstered in leather, faux leather, fabric or customer's fabric.

ACCESSORIES

Set of glides **Art. 2015**



COVERING		ART. 0272	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP		Q.D.	
SOFT LEATHER - PF		Q.D.	
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 31.48 / ft³ 10.45 4 pcs. = 3 boxes - lb 102 / ft³ 15.11 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch. 4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	UNI EN 1728/00 6.2.1 1:5 5° UNI EN 1728/00 6.2.2 1:5 5° UNI EN 1728/00 6.5 1:5 5° UNI EN 1728/00 6.7 1:5 5°


Steel frame base




CRO

Covering


Fabric



Faux leather



Soft leather




Soft leather Elmosoft



Catifa 46

design Lievore Altherr Molina 2004

Chair on swivelling pedestal base in chrome-plated steel and wood shell in three colour finishes (natural oak, bleached oak, wengé).



ACCESSORIES

Set of glides **Art. 2015**
Cushion **Art. 0261**

COVERING		ART. 0357 SWIVEL BASE	
WOOD - L			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 2 boxes - lb 22.22 / ft³ 8.580 4 pcs. = 2 boxes - lb 66.81 / ft³ 12.29  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	

Steel frame base 
CRO

Covering

Wood 
3 Types


Catifa 46

design Lievore Altherr Molina 2004

Chair on swivelling pedestal base in chromed steel, fitted with armrests. The shell is in wood in three colour finishes (natural oak, bleached oak, wengé).

ACCESSORIES

Set of glides **Art. 2015**
Cushion **Art. 0261**



COVERING		ART. 0360 SWIVEL BASE	
WOOD - L			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 3 boxes - lb 27.47 / ft³ 9.60 4 pcs. = 3 boxes - lb 84.76 / ft³ 13.55  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	UNI EN 1728/00 6.5 1:5 5°

Steel frame base



CRO

Covering

Wood




3 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on swivelling chromed steel pedestal base. The shell is in polypropylene with leather, faux leather or fabric upholstery applied to the surface of the seat.



ACCESSORIES

Set of glides **Art. 2015**

COVERING		ART. 0460 SWIVEL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 2 boxes - lb 29.32 / ft³ 9.67 4 pcs. = 2 boxes - lb 87.84 / ft³ 14.12  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Steel frame base



CRO

Covering

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Shell colours

Polypropylene one colour




9 Types



Chair on swivelling chromed steel pedestal base fitted with armrests. The shell is in polypropylene with leather, faux leather or fabric upholstery applied to the surface of the seat.

ACCESSORIES

Set of glides **Art. 2015**



COVERING		ART. 0461 SWIVEL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 34.57 / ft³ 10.69 4 pcs. = 3 boxes - lb 105 / ft³ 15.39 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	UNI EN 1728/00 6.5 1:5 5°

Steel frame base



CRO

Covering

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Shell colours

Polypropylene one colour



9 Types



Catifa 46

design Lievore Altherr Molina 2004



Materials

Steel frame base



Polypropylene one colour
Polypropylene two colours
Wood
Hard leather grade 2
Hard leather grade 1
Faux leather
Soft leather
Soft leather Elmosoft
Removibile
Fabric A - Orange 2
Fabric B - Flora 2
Fabric B - Pro 2
Fabric C - Divina 3
Fabric C - Divina Melange 2
Fabric C - Sinclair
Fabric C - Tonus 3
Fabric C - Topas 2
Fabric C - Hallingdal
Fabric D - Glove 2

Items



Accessories



Cushion Art. 0261




Set of glides Art. 2015

Catifa 46

design Lievore Altherr Molina 2004

Chair on swivelling pedestal base in shiny or painted aluminium. The shell is in one colour polypropylene, two colours polypropylene, hard leather grade 1 and hard leather grade 2.




ACCESSORIES

Cushion **Art. 0261**
Set of glides **Art. 2015**

COVERING		ART. 0368 SHINY ALUMINIUM		ART. 0368 PAINTED	
POLYPROPYLENE ONE COLOUR - PO		Q.D.			
POLYPROPYLENE TWO COLOURS - PO		Q.D.			
HARD LEATHER GRADE 2 - CT					
HARD LEATHER GRADE 1 - CU					

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 22.27 / ft³ 9.65 4 pcs. = 2 boxes - lb 67.03 / ft³ 11.86 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: + 40 \$ - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.	

Aluminium frame base


Q.D. Only for LU1

Covering

Polypropylene one colour


Q.D. Only PO: 101, 103, 106 and 109

Polypropylene two colours


Q.D. Only PO: 209, 205 and 207

Hard leather grade 2



Hard leather grade 1




Chair on swivelling pedestal base in shiny or painted aluminium, fitted with armrests. The shell is in one colour polypropylene, two colours polypropylene, hard leather grade 1 and hard leather grade 2.

ACCESSORIES

Cushion **Art. 0261**

Set of glides **Art. 2015**



COVERING		ART. 0389 SHINY ALUMINIUM		ART. 0389 PAINTED	
		Q.D.			
		Q.D.			
					
					
SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS		FIRE RETARDANT TEST 	RESISTANCE TEST	
1 pcs. = 3 boxes - lb 27.51 / ft³ 9.67 4 pcs. = 3 boxes - lb 84.98 / ft³ 13.13 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.			POLYPROPYLENE FIRE RETARDANT: + 40 \$ - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene Contact us for further info.		

Aluminium frame base



Frame
LU1
Glide
CRO



Frame
V12
Glide
V12



Frame
V39
Glide
V39



Only for LU1

Covering

Polypropylene one colour



9 Types



Only PO: 101, 103, 106 and 109

Polypropylene two colours



9 Types



Only PO: 209, 205 and 207

Hard leather grade 2



13 Types

Hard leather grade 1




4 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on swivelling pedestal base in shiny or painted aluminium.
The shell is upholstered in leather, faux leather, fabric or customer's fabric.



ACCESSORIES

Set of glides **Art. 2015**

COVERING		ART. 0375 SHINY ALUMINIUM		ART. 0375 PAINTED	
FABRIC A					
FABRIC B					
FABRIC C					
FABRIC D					
FAUX LEATHER - EP		Q.D.			
SOFT LEATHER - PF		Q.D.			
SOFT LEATHER ELMOSOFT - ES					
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*					

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 25.13 / ft³ 9.43 4 pcs. = 2 boxes - lb 80.26 / ft³ 13.84 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



LU1



V12



V39



Only for LU1

Covering

Fabric



Orange 2


Flora 2
Pro 2

Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal


Glove 2

Faux leather



8 Types



Only faux leather: EP008 and EP001

Soft leather



13 Types



Only soft leather: PF007 and PF006


Soft leather Elmosoft



42 Types

Chair on swivelling pedestal base in shiny or painted aluminium, fitted with armrest.
The shell is upholstered in leather, faux leather, fabric or customer's fabric.

ACCESSORIES

Set of glides **Art. 2015**

COVERING		ART. 0391		ART. 0391	
		SHINY ALUMINIUM		PAINTED	
FABRIC A					
FABRIC B					
FABRIC C					
FABRIC D					
FAUX LEATHER - EP		Q.D.			
SOFT LEATHER - PF		Q.D.			
SOFT LEATHER ELMOSOFT - ES					
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*					

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 30.38 / ft ³ 10.45 4 pcs. = 3 boxes - lb 98.21 / ft ³ 15.11 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather, Faux leather, Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather, Soft leather, Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric, Faux leather. Contact us for further info.	

Aluminium frame base

Frame
LU1
Glide
CROFrame
V12
Glide
V12Frame
V39
Glide
V39

Only for LU1

Covering

Fabric



Orange 2

Flora 2
Pro 2Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal

Glove 2

Faux leather



8 Types



Only faux leather: EP008 and EP001

Soft leather



13 Types



Only soft leather: PF007 and PF006

Soft leather Elmosoft




42 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on swivelling pedestal base in shiny or painted aluminium. The shell is in wood in three colour finishes (natural oak, bleached oak or wengé stained).



ACCESSORIES

Cushion **Art. 0261**
Set of glides **Art. 2015**

COVERING		ART. 0377		ART. 0377	
		SHINY ALUMINIUM		PAINTED	
WOOD - L					

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 21.12 / ft³ 8.58 4 pcs. = 2 boxes - lb 62.40 / ft³ 12.29  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	

Aluminium frame base



Frame
LU1
Glide
CRO



Frame
V12
Glide
V12



Frame
V39
Glide
V39

Covering

Wood



3 Types


Catifa 46

design Lievore Altherr Molina 2004

Chair on swivelling pedestal base in shiny or painted aluminium, fitted with armrest.
The shell is in wood in three colour finishes (natural oak, bleached oak or wengé stained).

ACCESSORIES

Cushion **Art. 0261**

Set of glides **Art. 2015**


COVERING		ART. 0393		ART. 0393	
		SHINY ALUMINIUM		PAINTED	
WOOD - L					

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST 	RESISTANCE TEST
1 pcs. = 3 boxes - lb 26.37 / ft ³ 9.60 4 pcs. = 3 boxes - lb 80.35 / ft ³ 13.56  Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match Contact us for further info.	

Aluminium frame base


Frame
LU1
Glide
CRO

Frame
V12
Glide
V12

Frame
V39
Glide
V39


Covering

Wood



3 Types

Chair on swivelling pedestal base in shiny or painted aluminium. The shell is in polypropylene with leather, faux leather, fabric or customer's fabric upholstery applied to the seat surface.



ACCESSORIES

Set of glides **Art. 2015**

COVERING		ART. 0370		ART. 0370	
		SHINY ALUMINIUM		PAINTED	
FABRIC A					
FABRIC B					
FABRIC C					
FABRIC D					
FAUX LEATHER - EP					
SOFT LEATHER - PF					
SOFT LEATHER ELMOSOFT - ES					
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*					

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 28.22 / ft³ 9.67 4 pcs. = 2 boxes - lb 83.43 / ft³ 14.12 Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



Covering

Fabric



Faux leather



Soft leather



Soft leather Elmosoft



Shell colours


Polypropylene one colour



Chair on swivelling pedestal base in shiny or painted aluminium, fitted with armrest.
The shell is in polypropylene with leather, faux leather, fabric or customer's fabric upholstery applied to the seat surface.

ACCESSORIES

Set of glides **Art. 2015**



COVERING		ART. 0373		ART. 0373	
		SHINY ALUMINIUM		PAINTED	
FABRIC A					
FABRIC B					
FABRIC C					
FABRIC D					
FAUX LEATHER - EP					
SOFT LEATHER - PF					
SOFT LEATHER ELMOSOFT - ES					
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*					

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 33.47 / ft³ 10.70 4 pcs. = 3 boxes - lb 101.38 / ft³ 15.40 Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bulletin 117: Fabric. Faux leather. Contact us for further info.	

Aluminium frame base



Frame
LU1
Glide
CRO



Frame
V12
Glide
V12



Frame
V39
Glide
V39

Covering

Fabric



Orange 2



Flora 2
Pro 2



Divina 3
Divina Melange 2
Sinclair
Tonus 3
Topas 2
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Shell colours

Polypropylene one colour



9 Types



Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leather grade 1, hard leather grade 2 and soft leather:

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:

May be cleaned with a damp, soft cloth using lukewarm water.

Warranty

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.


arper

FINISH


Polyethylene




Stem ABS




Babar cushion in polyurethane




Leaf cushion in polyurethane



Polypropylene one colour




Polypropylene two colours




Leaf



Dizzie Table




Wood



Hard leather grade 2



Hard leather grade 1



Faux leather




Soft leather




Elmosoft




Fabric A
Orange 2



Fabric B
Flora 2




Fabric **B**
Pro 2




Fabric C
Divina 3

Fabric C
Divina Melange 2



Fabric C
Sinclair



Fabric C
Tonus 3

Fabric C
Topas 2



Fabric C
Hallingdal

Fabric **D**
Glove 2



Standard contrast stitching



CT120
Ochre stitching



CT031
Dark grey stitching



CT040
Black stitching

Simple standard contrast zip



CT420
Brown zip

Simple standard matching zip



CT100
Brown zip

NEW FINISH

Grey-lacquered
steel



V41

Red Aluminium




V42

Laminate



LM1



LM2



LM3



LM4

Wood



L0020




L0021

NEW FABRIC


Cava 3




Field




Clara



Remix



Lazio 2




Scuba



Tempo



Steelcut Trio



Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leather grade 1, hard leather grade 2 and soft leather:

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:

May be cleaned with a damp, soft cloth using lukewarm water.

Warranty

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.

Arper Spa si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso. Per maggiori informazioni visitate il sito www.arper.it

Arper Spa reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice. For further information, please visit www.arper.it