Catifa 46
design Lievore Altherr Molina 2004

Catifa 46

fusto a trespolo su ruote

Catifa 46

design Lievore Altherr Molina 2004

CATIFA 46 (Lievore, Altherr, Molina) 2004

A new, more compact interpretation of the Catifa design that will fit into any setting: from homes to offices and contract environments. Stool version also available.
The Catifa 46 collection offers a wide choice of materials and colours. Shell in curved plywood, mono- or bi-colour polypropylene. The shell can be upholstered in leather, “faux” leather or fabric, customer’s own fabric or covered in hide. The base is available with sled base or in a number of 4-leg or trestle options. Catifa 46 also comes in a stool version in a range of seat and back heights.

In March 2008, the mono- and bi-colour polypropylene versions of Catifa 46 with four legs and trestle attained an Environmental Product Declaration.

The Catifa 46 collection is GREENGUARD certified.

Catifa 46

design Lievore Altherr Molina 2004

Materials

Steel frame base

Cromato
CRO

Polypropylene one colour
Polypropylene two colours
Wood
Hard leather grade 2
Hard leather grade 1
Faux leather
Soft leather
Soft leather Elmosoft
Removibile
Fabric A - Orange 2
Fabric B - Flora 2
Fabric B - Pro 2
Fabric C - Divina 3
Fabric C - Divina Melange 2
Fabric C - Sinclair
Fabric C - Tonus 3
Fabric C - Topas 2
Fabric C - Hallingdal
Fabric D - Glove 2

Items

Accessories

Cushion Art. 0261

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors and shell in single-colour polypropylene, bi-colour polypropylene or covered with hard leather.



ACCESSORIES

Cushion **Art. 0261**

COVERING		**ART. 0273** FIXED PEDESTAL BASE	
POLYPROPYLENE ONE COLOUR - PO			
POLYPROPYLENE TWO COLOURS - PO			
HARD LEATHER GRADE 2 - CT			
HARD LEATHER GRADE 1 - CU			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 23.59 / ft^3 8.86 4 pcs. = 2 boxes - lb 72.76 / ft^3 12.00 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: **+ 40 $** - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene **Contact us for further info.**	EN 1022/05

Steel frame base

CRO

Covering (see at page 312)

Polypropylene one colour

PO
9 Types

Polypropylene two colours

PO
9 Types

Hard leather grade 2

CT
13 Types

Hard leather grade 1

CU
4 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors and fitted with armrests. The shell is in single-colour polypropylene, bi-colour polypropylene or covered in hard leather.

ACCESSORIES

Cushion **Art. 0261**



COVERING		**ART. 0274** FIXED PEDESTAL BASE	
POLYPROPYLENE ONE COLOUR - PO			
POLYPROPYLENE TWO COLOURS - PO			
HARD LEATHER GRADE 2 - CT			
HARD LEATHER GRADE 1 - CU			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 28.84 / ft^3 9.89 4 pcs. = 3 boxes - lb 90.71 / ft^3 13.28 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: **+ 40 $** - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene **Contact us for further info.**	

Steel frame base

CRO

Covering (see at page 312)

Polypropylene one colour — PO — 9 Types

Polypropylene two colours — PO — 9 Types

Hard leather grade 2 — CT — 13 Types

Hard leather grade 1 — CU — 4 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors. The shell is in polypropylene, upholstered in leather, faux leather, fabric or customer's fabric.



COVERING		ART. 0275 FIXED PEDESTAL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 26.46 / ft^3 9.639 4 pcs. = 2 boxes - lb 85.99 / ft^3 13.98 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bullettin 117: Fabric. Faux leather. **Contact us for further info.**	EN 1022/05

Steel frame base

CRO

Covering (see at page 312)

Fabric

A Orange 2

B Flora 2, Pro 2

C Divina 3, Divina Melange 2, Sinclair, Tonus 3, Topas 2, Hallingdal

D Glove 2

Faux leather

EP
8 Types

Soft leather

PF
13 Types

Soft leather Elmosoft

ES
42 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors and fitted with armrests. The shell is in polypropylene, upholstered in leather, faux leather, fabric or customer's fabric.



COVERING		ART. 0276 FIXED PEDESTAL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 31.70 / ft^3 10.66 4 pcs. = 3 boxes - lb 103.9 / ft^3 15.25 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bullettin 117: Fabric. Faux leather. **Contact us for further info.**	

Steel frame base

CRO

Covering (see at page 312)

Fabric

A Orange 2

B Flora 2, Pro 2

C Divina 3, Divina Melange 2, Sinclair, Tonus 3, Topas 2, Hallingdal

D Glove 2

Faux leather

EP
8 Types

Soft leather

PF
13 Types

Soft leather Elmosoft

ES
42 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors. The shell is in wood in three colour finishes (natural oak, bleached oak, wengé).



ACCESSORIES

Cushion **Art. 0261**

COVERING		**ART. 0284** FIXED PEDESTAL BASE	
WOOD - L			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 22.44 / ft^{3}8.792 4 pcs. = 2 boxes - lb 68.13 / ft^{3}12.42 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match **Contact us for further info.**	

Steel frame base

CRO

Covering (see at page 312)

Wood

L

3 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors and fitted with armrests. The shell is in wood in three colour finishes (natural oak, bleached oak, wengé).

ACCESSORIES

Cushion **Art. 0261**



COVERING		**ART. 0285** FIXED PEDESTAL BASE	
WOOD - L			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 27.69 / ft^3 9.816 4 pcs. = 3 boxes - lb 86.08 / ft^3 13.70 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match **Contact us for further info.**	

Steel frame base

CRO

Covering (see at page 312)

Wood

L

3 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors. The shell is in polypropylene with leather, faux leather or fabric upholstery applied to the surface of the seat.



COVERING		ART. 0462 FIXED PEDESTAL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 29.54 / ft^3 9.886 4 pcs. = 2 boxes - lb 89.17 / ft^3 14.26 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bullettin 117: Fabric. Faux leather. **Contact us for further info.**	

Steel frame base

CRO

Covering (see at page 312)

Fabric

A Orange 2

B Flora 2, Pro 2

C Divina 3, Divina Melange 2, Sinclair, Tonus 3, Topas 2, Hallingdal

D Glove 2

Faux leather

EP
8 Types

Soft leather

PF
13 Types

Soft leather Elmosoft

ES
42 Types

Shell colours

Polypropylene one colour

PO
9 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in chromed steel, mounted on castors and fitted with armrests. The shell is in polypropylene with leather, faux leather or fabric upholstery applied to the surface of the seat.



COVERING		ART. 0463 FIXED PEDESTAL BASE	
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 34.79 / ft^3 10.91 4 pcs. = 3 boxes - lb 107 / ft^3 15.53 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bullettin 117: Fabric. Faux leather. **Contact us for further info.**	

Steel frame base

CRO

Covering (see at page 312)

Fabric

A Orange 2

B Flora 2, Pro 2

C Divina 3, Divina Melange 2, Sinclair, Tonus 3, Topas 2, Hallingdal

D Glove 2

Faux leather

EP
8 Types

Soft leather

PF
13 Types

Soft leather Elmosoft

ES
42 Types

Shell colours

Polypropylene one colour

PO
9 Types

Catifa 46

design Lievore Altherr Molina 2004

Catifa 46

design Lievore Altherr Molina 2004

Materiali

Struttura in acciaio

LU1 — Struttura LU1 Piedino CRO

V12 — Struttura V12 Piedino V12

V39 — Struttura V39 Piedino V39

Polipropilene monocolore
Polipropilene bicolore
Legno
Cuoietto
Cuoio
Ecopelle
Pelle
Pelle Elmosoft
Removibile
Tessuto **A** - Orange 2
Tessuto **B** - Flora 2
Tessuto **B** - Pro 2
Tessuto **C** - Divina 3
Tessuto **C** - Divina Melange 2
Tessuto **C** - Sinclair
Tessuto **C** - Tonus 3
Tessuto **C** - Topas 2
Tessuto **C** - Hallingdal
Tessuto **D** - Glove 2

Particolari

Accessori

Cuscino Art. 0261

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors. The shell is in one colour polypropylene, two colours polypropylene, hard leather grade 1 and hard leather grade 2.



ACCESSORIES

Cushion **Art. 0261**

COVERING		ART. 0369 SHINY ALUMINIUM	ART. 0369 PAINTED
POLYPROPYLENE ONE COLOUR - PO		Q.D.	
POLYPROPYLENE TWO COLOURS - PO		Q.D.	
HARD LEATHER GRADE 2 - CT			
HARD LEATHER GRADE 1 - CU			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 22.49 / ft^3 8.86 4 pcs. = 2 boxes - lb 67.91 / ft^3 12 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: **+ 40 $** - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene **Contact us for further info.**	UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3° EN 1022/05

Aluminium frame base

LU1 — Frame LU1 Castors CRO

V12 — Frame V12 Castors V12

V39 — Frame V39 Castors V39

Q.D. Only for LU1

Covering (see at page 312)

Polypropylene one colour — PO — 9 Types — Q.D. Only PO: 101, 103, 106 and 109

Polypropylene two colours — PO — 9 Types — Q.D. Only PO: 209, 205 and 207

Hard leather grade 2 — CT — 13 Types

Hard leather grade 1 — CU — 4 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors and fitted with armrest. The shell is in one colour polypropylene, two colours polypropylene, hard leather grade 1 and hard leather grade 2.

ACCESSORIES

Cushion **Art. 0261**



COVERING		ART. 0390 SHINY ALUMINIUM	ART. 0390 PAINTED
POLYPROPYLENE ONE COLOUR - PO		Q.D.	
POLYPROPYLENE TWO COLOURS - PO		Q.D.	
HARD LEATHER GRADE 2 - CT			
HARD LEATHER GRADE 1 - CU			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 27.730 / ft^3 9.89 4 pcs. = 3 boxes - lb 85.860 / ft^3 13.28 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		POLYPROPYLENE FIRE RETARDANT: **+ 40 $** - colour PO101 - colours PO102, PO103, PO106 qty. min. 300 pcs. UK DOMESTIC: BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2. BS5852/90 Sez.5 cigarette match: Polypropylene **Contact us for further info.**	UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3°

Aluminium frame base

LU1 — Frame LU1 Castors CRO

V12 — Frame V12 Castors V12

V39 — Frame V39 Castors V39

Q.D. Only for LU1

Covering (see at page 312)

Polypropylene one colour — PO — 9 Types — Q.D. Only PO: 101, 103, 106 and 109

Polypropylene two colours — PO — 9 Types — Q.D. Only PO: 209, 205 and 207

Hard leather grade 2 — CT — 13 Types

Hard leather grade 1 — CU — 4 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors.
The shell is upholstered in leather, faux leather, fabric or customer's fabric.



COVERING		ART. 0376 SHINY ALUMINIUM	ART. 0376 PAINTED
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP		Q.D.	
SOFT LEATHER - PF		Q.D.	
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 25.35 / ft^3 9.64 4 pcs. = 2 boxes - lb 81.14 / ft^3 13.98 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bullettin 117: Fabric. Faux leather. **Contact us for further info.**	UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3° EN 1022/05

Aluminium frame base

- LU1 — Frame LU1 Castors CRO
- V12 — Frame V12 Castors V12
- V39 — Frame V39 Castors V39

Q.D. Only for LU1

Covering (see at page 312)

Fabric

- A — Orange 2
- B — Flora 2, Pro 2
- C — Divina 3, Divina Melange 2, Sinclair, Tonus 3, Topas 2, Hallingdal
- D — Glove 2

Faux leather

- EP — 8 Types

Q.D. Only faux leather: EP008 and EP001

Soft leather

- PF — 13 Types

Q.D. Only soft leather: PF007 and PF006

Soft leather Elmosoft

- ES — 42 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors and fitted with armrest. The shell is upholstered in leather, faux leather, fabric or customer's fabric.



COVERING		ART. 0392 SHINY ALUMINIUM	ART. 0392 PAINTED
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP		Q.D.	
SOFT LEATHER - PF		Q.D.	
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 30.60 / ft ^{3}10.66 4 pcs. = 3 boxes - lb 99.09 / ft ^{3}15.25 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 140 cm. Meterage ml 1 Line detail stitching	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bullettin 117: Fabric. Faux leather. **Contact us for further info.**	UNI EN 1728/00 6.2.1 1:3 3° UNI EN 1728/00 6.2.2 1:3 3° UNI EN 1728/00 6.7 1:3 3°

Aluminium frame base

LU1 — Frame LU1 Castors CRO

V12 — Frame V12 Castors V12

V39 — Frame V39 Castors V39

Q.D. Only for LU1

Covering (see at page 312)

Fabric

A — Orange 2

B — Flora 2, Pro 2

C — Divina 3, Divina Melange 2, Sinclair, Tonus 3, Topas 2, Hallingdal

D — Glove 2

Faux leather

EP — 8 Types

Q.D. Only faux leather: EP008 and EP001

Soft leather

PF — 13 Types

Q.D. Only soft leather: PF007 and PF006

Soft leather Elmosoft

ES — 42 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors. The shell is in wood in three colour finishes (natural oak, bleached oak or wengé stained).



ACCESSORIES

Cushion **Art. 0261**

COVERING		**ART. 0386** SHINY ALUMINIUM	**ART. 0386** PAINTED
WOOD - L			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 21.34 / ft^3 8.79 4 pcs. = 2 boxes - lb 63.28 / ft^3 12.43 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match **Contact us for further info.**	

Aluminium frame base

LU1 — Frame LU1 Castors CRO

V12 — Frame V12 Castors V12

V39 — Frame V39 Castors V39

Covering (see at page 312)

Wood

L
3 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors and fitted with armrest. The shell is in wood in three colour finishes (natural oak, bleached oak or wengé stained).

ACCESSORIES

Cushion **Art. 0261**



COVERING		**ART. 0394** SHINY ALUMINIUM	**ART. 0394** PAINTED
WOOD - L			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 27.78 / ft^3 9.81 4 pcs. = 3 boxes - lb 81.23 / ft^3 13.70 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.		UK DOMESTIC: BS5852/90 Sez.5 cigarette match **Contact us for further info.**	

Aluminium frame base

LU1 — Frame LU1 Castors CRO

V12 — Frame V12 Castors V12

V39 — Frame V39 Castors V39

Covering (see at page 312)

Wood

L

3 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors. The shell is in polypropylene with leather, faux leather, fabric or customer's fabric upholstery applied to the seat surface.



COVERING		ART. 0372 SHINY ALUMINIUM	ART. 0372 PAINTED
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 2 boxes - lb 28.44 / ft^3 9.89 4 pcs. = 2 boxes - lb 84.31 / ft^3 14.26 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bullettin 117: Fabric. Faux leather. **Contact us for further info.**	

Aluminium frame base

LU1 — Frame LU1 Castors CRO

V12 — Frame V12 Castors V12

V39 — Frame V39 Castors V39

Covering (see at page 312)

Fabric

A — Orange 2

B — Flora 2, Pro 2

C — Divina 3, Divina Melange 2, Sinclair, Tonus 3, Topas 2, Hallingdal

D — Glove 2

Faux leather

EP — 8 Types

Soft leather

PF — 13 Types

Soft leather Elmosoft

ES — 42 Types

Shell colours

Polypropylene one colour

PO — 9 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on fixed pedestal base in shiny or painted aluminium, mounted on castors, and fitted with armrests. The shell is in polypropylene with leather, faux leather, fabric or customer's fabric upholstery applied to the seat surface.



COVERING		ART. 0374 SHINY ALUMINIUM	ART. 0374 PAINTED
FABRIC A			
FABRIC B			
FABRIC C			
FABRIC D			
FAUX LEATHER - EP			
SOFT LEATHER - PF			
SOFT LEATHER ELMOSOFT - ES			
CUSTOMER'S OWN MATERIAL H. 54.6 IN.*			

SHIPMENT DETAILS	TECHNICAL SPECIFICATIONS	FIRE RETARDANT TEST	RESISTANCE TEST
1 pcs. = 3 boxes - lb 33.69 / ft^3 10.91 4 pcs. = 3 boxes - lb 102.26 / ft^3 15.44 KD Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders.	* H 54.6 in. Meterage ml 1	UK CONTRACT: BS7176-07 Medium Hazard: Fabric (Flora 2). BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). UK DOMESTIC: BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2). BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2). USA Technical Bullettin 117: Fabric. Faux leather. **Contact us for further info.**	

Aluminium frame base

LU1 — Frame LU1 Castors CRO

V12 — Frame V12 Castors V12

V39 — Frame V39 Castors V39

Covering (see at page 312)

Fabric

A — Orange 2

B — Flora 2, Pro 2

C — Divina 3, Divina Melange 2, Sinclair, Tonus 3, Topas 2, Hallingdal

D — Glove 2

Faux leather

EP — 8 Types

Soft leather

PF — 13 Types

Soft leather Elmosoft

ES — 42 Types

Shell colours

Polypropylene one colour

PO — 9 Types

Catifa 46
design Lievore Altherr Molina 2004

Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:
May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:
May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:
May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:
May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leahter grade 1, hard leather grade 2 and soft leather:
Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:
Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:
May be cleaned with a damp, soft cloth using lukewarm water.

Warranty
ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.
ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.
This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.

Arper Spa si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso.
Per maggiori informazioni visitate il sito www.arper.it

Arper Spa reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice.
For further information, please visit www.arper.it

arper

Finish / News 2009

FINISH

Polyethylene

PE001 PE003 PE006 PE007 PE002 PE008 PE004 PE005

PE009

Stem ABS

A11 A16 A12 A15 A17 A14

Babar cushion in polyurethane

PU001 PU006 PU002 PU005 PU007 PU004

Leaf cushion in polyurethane

PU001 PU008 PU007

Polypropylene one colour

PO101 PO103 PO102 PO110 PO105 PO106 PO111 PO104

PO109

Polypropylene two colours

PO207 PO203 PO202 PO210 PO205 PO206 PO211 PO204

PO209

Leaf

CRO V12 V13 V06

Dizzie Table

V12 V32 V33 V36 V37 V35 V34 V39

Wood

L0020 L0022 L0021

Hard leather grade 2

CT030 CT031 CT070 CT450 CT029 CT034 CT120 CT100

CT090 CT040 CT110 CT033 CT020

Hard leather grade 1

CU033 CU006 CU026 CU001

Faux leather

EP001 EP002 EP003 EP007 EP004 EP005 EP006 EP008

Soft leather

PF001 PF002 PF008 PF010 PF003 PF004 PF009 PF011

PF005 PF012 PF013 PF006 PF007

Elmosoft

ES02048

ES00100 ES04151 ES44066 ES54064 ES45065 ES53034

ES02020 ES22030 ES54035 ES33004 ES33001 ES05011

ES55002 ES55148 ES95122 ES93129 ES75062 ES35126 ES95006 ES16063

ES57350 ES57349 ES93068 ES77070 ES77236 ES77158 ES07069 ES17071

ES87117 ES78119 ES18059 ES88018 ES98024 ES01003 ES48060 ES01061

ES11049 ES71017 ES77127 ES97038 ES99999

Fabric **A**
Orange 2



Fabric **B**
Flora 2



Fabric **B**
Pro 2



Fabric **C**
Divina 3

Fabric **C**
Divina Melange 2



Fabric **C**
Sinclair



Fabric **C**
Tonus 3

106

100

109

111

118

119

122

123

124

125

126

127

128

129

130

131

132

133

135

201

207

209

210


211

215

216

240

380

440

450

505

508


509

605

608

609

610

613

614


615


619

620

622

623

624

625

627

628

629

630

631

632

633

634

635

636

640

680

690

740

780

840

940

980

Fabric **C**
Topas 2

Fabric **C**
Hallingdal

Fabric **D**
Glove 2



Standard contrast stitching

CT120
Ochre stitching

CT031
Dark grey stitching

CT040
Black stitching

Simple standard contrast zip

CT420
Brown zip

Simple standard matching zip

CT100
Brown zip

NEW FINISH

Grey-lacquered steel



V41

Red Aluminium

V42

Laminate



LM1



LM2

LM3

LM4

Wood

L0020

L0021

NEW FABRIC

Cava 3

Field


132
142
172
182
192
222
232
242
252
382
432
542
642
662
682
752
762
772
782
932
942
952
972
982

Clara

744
148
188
184
144
244
248
444
448
544
548
588
584
348
344
388
844
848
748
888
884
684
688
788
988
984
384
784

Remix



Lazio 2



Scuba

0001
0002
0003
0004
0005
0006
0007
0008
0009
0010
0011
0012
0013
0014
0015
0016
0017
0018
0019
0020
0021
0022
0023
0024
0025

Tempo

130
170
190
230
250
370
550
570
630
650
670
690
710
830
850
750
730
770
790
930
950
970

Steelcut Trio

113

133

153

383

213

253

283

333

353

413

453

533

553

653

683


713

733

983

853

753

883

933

953

Maintenance advice

Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:
May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

Laminate surfaces:
May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

Chrome, anodised or lacquered surfaces:
May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

Fabric:
May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

Hard leahter grade 1, hard leather grade 2 and soft leather:
Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

Stainless steel:
Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

Faux leather:
May be cleaned with a damp, soft cloth using lukewarm water.

Warranty
ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.
ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.
This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.

Arper Spa si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso.
Per maggiori informazioni visitate il sito www.arper.it

Arper Spa reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice.
For further information, please visit www.arper.it