

**Catifa 46**

design Lievore Altherr Molina 2004



---

**Catifa 46**

swivelling pedestal base

---

## Catifa 46

design Lievore Altherr Molina 2004

### CATIFA 46 (Lievore, Altherr, Molina) 2004

A new, more compact interpretation of the Catifa design that will fit into any setting: from homes to offices and contract environments. Stool version also available.

The Catifa 46 collection offers a wide choice of materials and colours. Shell in curved plywood, mono- or bi-colour polypropylene. The shell can be upholstered in leather, "faux" leather or fabric, customer's own fabric or covered in hide. The base is available with sled base or in a number of 4-leg or trestle options. Catifa 46 also comes in a stool version in a range of seat and back heights.

In March 2008, the mono- and bi-colour polypropylene versions of Catifa 46 with four legs and trestle attained an [Environmental Product Declaration](#).

The Catifa 46 collection is [GREENGUARD](#) certified.



## Materials

Steel frame base

Chrome  
CRO

|                             |
|-----------------------------|
| Polypropylene one colour    |
| Polypropylene two colours   |
| Wood                        |
| Hard leather grade 2        |
| Hard leather grade 1        |
| Faux leather                |
| Soft leather                |
| Soft leather Elmosoft       |
| Removibile                  |
| Fabric A - Orange 2         |
| Fabric B - Flora 2          |
| Fabric B - Pro 2            |
| Fabric C - Divina 3         |
| Fabric C - Divina Melange 2 |
| Fabric C - Sinclair         |
| Fabric C - Tonus 3          |
| Fabric C - Topas 2          |
| Fabric C - Hallingdal       |
| Fabric D - Glove 2          |

## Items



## Accessories




Cushion Art. 0261



Set of glides Art. 2015

Chair on swivelling pedestal base in chromed steel and shell in single-colour polypropylene, bi-colour polypropylene, covered with hard leather.



ACCESSORIES

Set of glides **Art. 2015**  
Cushion **Art. 0261**

|                                |  |                  |  |
|--------------------------------|--|------------------|--|
| COVERING                       |  | <b>ART. 0257</b> |  |
| POLYPROPYLENE ONE COLOUR - PO  |  | <b>Q.D.</b>      |  |
| POLYPROPYLENE TWO COLOURS - PO |  | <b>Q.D.</b>      |  |
| HARD LEATHER GRADE 2 - CT      |  |                  |  |
| HARD LEATHER GRADE 1 - CU      |  |                  |  |
|                                |  |                  |  |
|                                |  |                  |  |
|                                |  |                  |  |

| SHIPMENT DETAILS  | TECHNICAL SPECIFICATIONS | FIRE RETARDANT TEST  | RESISTANCE TEST   |
|---|--------------------------|--|---|
| 1 pcs. = 2 boxes - lb 23.37 / ft³ 8.650<br>4 pcs. = 2 boxes - lb 71.44 / ft³ 11.86<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. |                          | POLYPROPYLENE FIRE RETARDANT: <b>+ 40 \$</b><br>- colour PO101<br>- colours PO102, PO103, PO106 qty. min. 300 pcs.<br><br>UK DOMESTIC:<br>BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2.<br>BS5852/90 Sez.5 cigarette match: Polypropylene<br><br><b>Contact us for further info.</b> | UNI EN 1728/00 6.2.1 1:5 5°<br>UNI EN 1728/00 6.2.2 1:5 5°<br>UNI EN 1728/00 6.7 1:5 5° |

Steel frame base



CRO

Covering

Polypropylene one colour



9 Types



Only PO: 101, 103, 106 and 109

Polypropylene two colours



9 Types



Only PO: 209, 205 and 207

Hard leather grade 2



13 Types

Hard leather grade 1




4 Types

Chair on swivelling pedestal base in chromed steel, fitted with armrests. The shell is in single-colour polypropylene, bi-colour polypropylene or covered in hard leather.

ACCESSORIES

Set of glides **Art. 2015**  
Cushion **Art. 0261**



|                                |  |                                 |  |
|--------------------------------|--|---------------------------------|--|
| COVERING                       |  | <b>ART. 0270</b><br>SWIVEL BASE |  |
| POLYPROPYLENE ONE COLOUR - PO  |  | <b>Q.D.</b>                     |  |
| POLYPROPYLENE TWO COLOURS - PO |  | <b>Q.D.</b>                     |  |
| HARD LEATHER GRADE 2 - CT      |  |                                 |  |
| HARD LEATHER GRADE 1 - CU      |  |                                 |  |
|                                |  |                                 |  |
|                                |  |                                 |  |
|                                |  |                                 |  |

| SHIPMENT DETAILS  | TECHNICAL SPECIFICATIONS | FIRE RETARDANT TEST  | RESISTANCE TEST  |
|---|--------------------------|--|--|
| 1 pcs. = 3 boxes - lb 28.62 / ft <sup>3</sup> 9.674<br>4 pcs. = 3 boxes - lb 89.39 / ft <sup>3</sup> 13.13<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. |                          | POLYPROPYLENE FIRE RETARDANT: <b>+ 40 \$</b><br>- colour PO101<br>- colours PO102, PO103, PO106 qty. min. 300 pcs.<br><br>UK DOMESTIC:<br>BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2.<br>BS5852/90 Sez.5 cigarette match: Polypropylene<br><br><b>Contact us for further info.</b> | UNI EN 1728/00 6.2.1 1:5 5°<br>UNI EN 1728/00 6.2.2 1:5 5°<br>UNI EN 1728/00 6.5 1:5 5°<br>UNI EN 1728/00 6.7 1:5 5° |

Steel frame base



Covering

Polypropylene one colour



**Q.D.** Only PO: 101, 103, 106 and 109

Polypropylene two colours



**Q.D.** Only PO: 209, 205 and 207


Hard leather grade 2



Hard leather grade 1



Chair on swivelling chromed steel pedestal base with shell upholstered in leather, faux leather, fabric or customer's fabric.



ACCESSORIES

Set of glides **Art. 2015**

|                                      |  |                                 |  |
|--------------------------------------|--|---------------------------------|--|
| COVERING                             |  | <b>ART. 0259</b><br>SWIVEL BASE |  |
| FABRIC A                             |  |                                 |  |
| FABRIC B                             |  |                                 |  |
| FABRIC C                             |  |                                 |  |
| FABRIC D                             |  |                                 |  |
| FAUX LEATHER - EP                    |  | <b>Q.D.</b>                     |  |
| SOFT LEATHER - PF                    |  | <b>Q.D.</b>                     |  |
| SOFT LEATHER ELMOSOFT - ES           |  |                                 |  |
| CUSTOMER'S OWN MATERIAL H. 54.6 IN.* |  |                                 |  |

| SHIPMENT DETAILS  | TECHNICAL SPECIFICATIONS                            | FIRE RETARDANT TEST   | RESISTANCE TEST   |
|---|---|---|---|
| 1 pcs. = 2 boxes - lb 26.23 / ft³ 9.427<br>4 pcs. = 2 boxes - lb 84.67 / ft³ 13.84<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. | * H 54.6 in. Meterage ml 1<br>Line detail stitching | UK CONTRACT:<br>BS7176-07 Medium Hazard: Fabric (Flora 2).<br>BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>UK DOMESTIC:<br>BS5852-1 Sch. 4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2).<br>USA Technical Bulletin 117: Fabric. Faux leather.<br><b>Contact us for further info.</b> | UNI EN 1728/00 6.2.1 1:5 5°<br>UNI EN 1728/00 6.2.2 1:5 5°<br>UNI EN 1728/00 6.7 1:5 5° |

Steel frame base



Covering

Fabric



Orange 2



Flora 2 Pro 2



Divina 3  
Divina Melange 2  
Sinclair  
Tonus 3  
Topas 2  
Hallingdal



Glove 2

Faux leather



8 Types



Only faux leather: EP008 and EP001

Soft leather



13 Types



Only soft leather: PF007 and PF006

Soft leather Elmosoft




42 Types

Chair on swivelling pedestal base in chromed steel, fitted with armrests. The shell is upholstered in leather, faux leather, fabric or customer's fabric.

ACCESSORIES

Set of glides **Art. 2015**



| COVERING                             |  | ART. 0272   |  |
|--------------------------------------|--|-------------|--|
| FABRIC A                             |  |             |  |
| FABRIC B                             |  |             |  |
| FABRIC C                             |  |             |  |
| FABRIC D                             |  |             |  |
| FAUX LEATHER - EP                    |  | <b>Q.D.</b> |  |
| SOFT LEATHER - PF                    |  | <b>Q.D.</b> |  |
| SOFT LEATHER ELMOSOFT - ES           |  |             |  |
| CUSTOMER'S OWN MATERIAL H. 54.6 IN.* |  |             |  |


| SHIPMENT DETAILS  | TECHNICAL SPECIFICATIONS                            | FIRE RETARDANT TEST   | RESISTANCE TEST  |
|---|---|---|--|
| 1 pcs. = 3 boxes - lb 31.48 / ft³ 10.45<br>4 pcs. = 3 boxes - lb 102 / ft³ 15.11<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. | * H 54.6 in. Meterage ml 1<br>Line detail stitching | UK CONTRACT:<br>BS7176-07 Medium Hazard: Fabric (Flora 2).<br>BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>UK DOMESTIC:<br>BS8852-1 Sch. 4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>BS8852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2).<br>USA Technical Bulletin 117: Fabric. Faux leather.<br><b>Contact us for further info.</b> | UNI EN 1728/00 6.2.1 1:5 5°<br>UNI EN 1728/00 6.2.2 1:5 5°<br>UNI EN 1728/00 6.5 1:5 5°<br>UNI EN 1728/00 6.7 1:5 5° |

Steel frame base




Covering


Fabric



Faux leather




Soft leather



Soft leather Elmosoft



Chair on swivelling pedestal base in chrome-plated steel and wood shell in three colour finishes (natural oak, bleached oak, wengé).




ACCESSORIES

Set of glides **Art. 2015**  
Cushion **Art. 0261**

|          |  |                                 |  |
|----------|--|---------------------------------|--|
| COVERING |  | <b>ART. 0357</b><br>SWIVEL BASE |  |
| WOOD - L |  |                                 |  |
|          |  |                                 |  |
|          |  |                                 |  |
|          |  |                                 |  |
|          |  |                                 |  |
|          |  |                                 |  |

| SHIPMENT DETAILS  | TECHNICAL SPECIFICATIONS | FIRE RETARDANT TEST  | RESISTANCE TEST |
|---|--------------------------|--|-----------------|
| 1 pcs. = 2 boxes - lb 22.22 / ft³ 8.580<br>4 pcs. = 2 boxes - lb 66.81 / ft³ 12.29<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. |                          | UK DOMESTIC:<br>BS5852/90 Sez.5 cigarette match<br><b>Contact us for further info.</b> |                 |

Steel frame base   
CRO

Covering


Wood   
3 Types





Chair on swivelling pedestal base in chromed steel, fitted with armrests. The shell is in wood in three colour finishes (natural oak, bleached oak, wengé).

ACCESSORIES

Set of glides **Art. 2015**  
Cushion **Art. 0261**



|          |   |                                 |  |
|----------|---|---------------------------------|--|
| COVERING |  | <b>ART. 0360</b><br>SWIVEL BASE |  |
| WOOD - L |  |                                 |  |
|          |   |                                 |  |
|          |   |                                 |  |
|          |   |                                 |  |
|          |   |                                 |  |
|          |   |                                 |  |

| SHIPMENT DETAILS   | TECHNICAL SPECIFICATIONS | FIRE RETARDANT TEST  | RESISTANCE TEST           |
|--|--------------------------|---|---------------------------|
| 1 pcs. = 3 boxes - lb 27.47 / ft <sup>3</sup> 9.60<br>4 pcs. = 3 boxes - lb 84.76 / ft <sup>3</sup> 13.55<br> Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. |                          | UK DOMESTIC:<br>BS5852/90 Sez.5 cigarette match<br><b>Contact us for further info.</b>                    | UNI EN 1728/00 6.5 1:5 5° |

Steel frame base



CRO


Covering

Wood



3 Types

Chair on swivelling chromed steel pedestal base. The shell is in polypropylene with leather, faux leather or fabric upholstery applied to the surface of the seat.



ACCESSORIES

Set of glides **Art. 2015**

|                                      |  |                                 |  |
|--------------------------------------|--|---------------------------------|--|
| COVERING                             |  | <b>ART. 0460</b><br>SWIVEL BASE |  |
| FABRIC A                             |  |                                 |  |
| FABRIC B                             |  |                                 |  |
| FABRIC C                             |  |                                 |  |
| FABRIC D                             |  |                                 |  |
| FAUX LEATHER - EP                    |  |                                 |  |
| SOFT LEATHER - PF                    |  |                                 |  |
| SOFT LEATHER ELMOSOFT - ES           |  |                                 |  |
| CUSTOMER'S OWN MATERIAL H. 54.6 IN.* |  |                                 |  |

| SHIPMENT DETAILS   | TECHNICAL SPECIFICATIONS   | FIRE RETARDANT TEST  | RESISTANCE TEST |
|--|----------------------------|--|-----------------|
| 1 pcs. = 2 boxes - lb 29.32 / ft³ 9.67<br>4 pcs. = 2 boxes - lb 87.84 / ft³ 14.12<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. | * H 54.6 in. Meterage ml 1 | UK CONTRACT:<br>BS7176-07 Medium Hazard: Fabric (Flora 2).<br>BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>UK DOMESTIC:<br>BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2).<br>USA Technical Bulletin 117: Fabric. Faux leather.<br><b>Contact us for further info.</b> |                 |

Steel frame base



Covering

Fabric



Orange 2



Flora 2 Pro 2



Divina 3  
Divina Melange 2  
Sinclair  
Tonus 3  
Topas 2  
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Shell colours

Polypropylene one colour




9 Types



Chair on swivelling chromed steel pedestal base fitted with armrests. The shell is in polypropylene with leather, faux leather or fabric upholstery applied to the surface of the seat.

ACCESSORIES

Set of glides **Art. 2015**



|                                      |  |                                 |  |
|--------------------------------------|--|---------------------------------|--|
| COVERING                             |  | <b>ART. 0461</b><br>SWIVEL BASE |  |
| FABRIC A                             |  |                                 |  |
| FABRIC B                             |  |                                 |  |
| FABRIC C                             |  |                                 |  |
| FABRIC D                             |  |                                 |  |
| FAUX LEATHER - EP                    |  |                                 |  |
| SOFT LEATHER - PF                    |  |                                 |  |
| SOFT LEATHER ELMOSOFT - ES           |  |                                 |  |
| CUSTOMER'S OWN MATERIAL H. 54.6 IN.* |  |                                 |  |

| SHIPMENT DETAILS  | TECHNICAL SPECIFICATIONS   | FIRE RETARDANT TEST   | RESISTANCE TEST           |
|---|----------------------------|---|---------------------------|
| 1 pcs. = 3 boxes - lb 34.57 / ft <sup>3</sup> 10.69<br>4 pcs. = 3 boxes - lb 105 / ft <sup>3</sup> 15.39<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. | * H 54.6 in. Meterage ml 1 | UK CONTRACT:<br>BS7176-07 Medium Hazard: Fabric (Flora 2).<br>BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>UK DOMESTIC:<br>BS8852-1 Sch. 4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>BS8852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2).<br>USA Technical Bulletin 117: Fabric. Faux leather.<br><b>Contact us for further info.</b> | UNI EN 1728/00 6.5 1:5 5° |

Steel frame base



Covering

Fabric



Orange 2



Flora 2 Pro 2



Divina 3  
Divina Melange 2  
Sinclair  
Tonus 3  
Topas 2  
Hallingdal



Glove 2

Faux leather



8 Types

Soft leather



13 Types

Soft leather Elmosoft



42 Types

Shell colours

Polypropylene one colour



9 Types




Catifa 46

design Lievore Altherr Molina 2004



Materials

Steel frame base



|                             |
|-----------------------------|
| Polypropylene one colour    |
| Polypropylene two colours   |
| Wood                        |
| Hard leather grade 2        |
| Hard leather grade 1        |
| Faux leather                |
| Soft leather                |
| Soft leather Elmosoft       |
| Removibile                  |
| Fabric A - Orange 2         |
| Fabric B - Flora 2          |
| Fabric B - Pro 2            |
| Fabric C - Divina 3         |
| Fabric C - Divina Melange 2 |
| Fabric C - Sinclair         |
| Fabric C - Tonus 3          |
| Fabric C - Topas 2          |
| Fabric C - Hallingdal       |
| Fabric D - Glove 2          |

Items



Accessories




Cushion Art. 0261



Set of glides Art. 2015

Chair on swivelling pedestal base in shiny or painted aluminium. The shell is in one colour polypropylene, two colours polypropylene, hard leather grade 1 and hard leather grade 2.



ACCESSORIES

Cushion **Art. 0261**  
Set of glides **Art. 2015**

| COVERING                       |  | ART. 0368       | ART. 0368 |
|--------------------------------|--|-----------------|-----------|
|                                |  | SHINY ALUMINIUM | PAINTED   |
| POLYPROPYLENE ONE COLOUR - PO  |  | <b>Q.D.</b>     |           |
| POLYPROPYLENE TWO COLOURS - PO |  | <b>Q.D.</b>     |           |
| HARD LEATHER GRADE 2 - CT      |  |                 |           |
| HARD LEATHER GRADE 1 - CU      |  |                 |           |
|                                |  |                 |           |
|                                |  |                 |           |
|                                |  |                 |           |

| SHIPMENT DETAILS  | TECHNICAL SPECIFICATIONS | FIRE RETARDANT TEST  | RESISTANCE TEST |
|---|--------------------------|--|-----------------|
| 1 pcs. = 2 boxes - lb 22.27 / ft³ 9.65<br>4 pcs. = 2 boxes - lb 67.03 / ft³ 11.86<br><b>KD</b><br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. |                          | POLYPROPYLENE FIRE RETARDANT: <b>+ 40 \$</b><br>- colour PO101<br>- colours PO102, PO103, PO106 qty. min. 300 pcs.<br><br>UK DOMESTIC:<br>BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2.<br>BS5852/90 Sez.5 cigarette match: Polypropylene<br><br><b>Contact us for further info.</b> |                 |

Aluminium frame base



Covering

Polypropylene one colour



Polypropylene two colours



Hard leather grade 2




Hard leather grade 1



Chair on swivelling pedestal base in shiny or painted aluminium, fitted with armrests. The shell is in one colour polypropylene, two colours polypropylene, hard leather grade 1 and hard leather grade 2.

ACCESSORIES

Cushion **Art. 0261**  
Set of glides **Art. 2015**



| COVERING                       |  | ART. 0389       | ART. 0389 |
|--------------------------------|--|-----------------|-----------|
|                                |  | SHINY ALUMINIUM | PAINTED   |
| POLYPROPYLENE ONE COLOUR - PO  |  | <b>Q.D.</b>     |           |
| POLYPROPYLENE TWO COLOURS - PO |  | <b>Q.D.</b>     |           |
| HARD LEATHER GRADE 2 - CT      |  |                 |           |
| HARD LEATHER GRADE 1 - CU      |  |                 |           |
|                                |  |                 |           |
|                                |  |                 |           |
|                                |  |                 |           |

| SHIPMENT DETAILS   | TECHNICAL SPECIFICATIONS | FIRE RETARDANT TEST  | RESISTANCE TEST |
|--|--------------------------|--|-----------------|
| 1 pcs. = 3 boxes - lb 27.51 / ft <sup>3</sup> 9.67<br>4 pcs. = 3 boxes - lb 84.98 / ft <sup>3</sup> 13.13<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. |                          | POLYPROPYLENE FIRE RETARDANT: <b>+ 40 \$</b><br>- colour PO101<br>- colours PO102, PO103, PO106 qty. min. 300 pcs.<br><br>UK DOMESTIC:<br>BS5852-1 Sch.5 Part1: Hard leather grade 1 and 2.<br>BS5852/90 Sez.5 cigarette match: Polypropylene<br><br><b>Contact us for further info.</b> |                 |

Aluminium frame base



Frame LU1  
Glide CRO



Frame V12  
Glide V12



Frame V39  
Glide V39



Only for LU1

Covering

Polypropylene one colour



9 Types



Only PO: 101, 103, 106 and 109

Polypropylene two colours



9 Types



Only PO: 209, 205 and 207

Hard leather grade 2



13 Types

Hard leather grade 1




4 Types

Catifa 46

design Lievore Altherr Molina 2004

Chair on swivelling pedestal base in shiny or painted aluminium.  
The shell is upholstered in leather, faux leather, fabric or customer's fabric.



ACCESSORIES

Set of glides **Art. 2015**

| COVERING                             |  | ART. 0375       | ART. 0375 |
|--------------------------------------|--|-----------------|-----------|
|                                      |  | SHINY ALUMINIUM | PAINTED   |
| FABRIC A                             |  |                 |           |
| FABRIC B                             |  |                 |           |
| FABRIC C                             |  |                 |           |
| FABRIC D                             |  |                 |           |
| FAUX LEATHER - EP                    |  | <b>Q.D.</b>     |           |
| SOFT LEATHER - PF                    |  | <b>Q.D.</b>     |           |
| SOFT LEATHER ELMOSOFT - ES           |  |                 |           |
| CUSTOMER'S OWN MATERIAL H. 54.6 IN.* |  |                 |           |

| SHIPMENT DETAILS  | TECHNICAL SPECIFICATIONS                            | FIRE RETARDANT TEST  | RESISTANCE TEST |
|---|---|--|-----------------|
| 1 pcs. = 2 boxes - lb 25.13 / ft³ 9.43<br>4 pcs. = 2 boxes - lb 80.26 / ft³ 13.84<br><b>KD</b><br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. | * H 54.6 in. Meterage ml 1<br>Line detail stitching | UK CONTRACT:<br>BS7176-07 Medium Hazard: Fabric (Flora 2).<br>BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>UK DOMESTIC:<br>BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2).<br>USA Technical Bulletin 117: Fabric. Faux leather.<br><b>Contact us for further info.</b> |                 |

Aluminium frame base



LU1



V12



V39



V39



Only for LU1

Covering

Fabric



Orange 2



Flora 2 Pro 2



Divina 3  
Divina Melange 2  
Sinclair  
Tonus 3  
Topas 2  
Hallingdal



Glove 2

Faux leather



8 Types



Only faux leather: EP008 and EP001

Soft leather



13 Types



Only soft leather: PF007 and PF006

Soft leather Elmosoft




42 Types



Chair on swivelling pedestal base in shiny or painted aluminium, fitted with armrest.  
The shell is upholstered in leather, faux leather, fabric or customer's fabric.

ACCESSORIES

Set of glides **Art. 2015**



| COVERING                             |  | ART. 0391       | ART. 0391 |
|--------------------------------------|--|-----------------|-----------|
|                                      |  | SHINY ALUMINIUM | PAINTED   |
| FABRIC A                             |  |                 |           |
| FABRIC B                             |  |                 |           |
| FABRIC C                             |  |                 |           |
| FABRIC D                             |  |                 |           |
| FAUX LEATHER - EP                    |  | <b>Q.D.</b>     |           |
| SOFT LEATHER - PF                    |  | <b>Q.D.</b>     |           |
| SOFT LEATHER ELMOSOFT - ES           |  |                 |           |
| CUSTOMER'S OWN MATERIAL H. 54.6 IN.* |  |                 |           |

| SHIPMENT DETAILS  | TECHNICAL SPECIFICATIONS                                | FIRE RETARDANT TEST   | RESISTANCE TEST |
|---|---|---|-----------------|
| 1 pcs. = 3 boxes - lb 30.38 / ft <sup>3</sup> 10.45<br>4 pcs. = 3 boxes - lb 98.21 / ft <sup>3</sup> 15.11<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. | * H 54.6 in. Meterage ml 1<br><br>Line detail stitching | UK CONTRACT:<br>BS7176-07 Medium Hazard: Fabric (Flora 2).<br>BS7176-07 Low Hazard: Soft leather, Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>UK DOMESTIC:<br>BS5852-1 Sch. 4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2).<br>USA Technical Bulletin 117: Fabric. Faux leather.<br><br><b>Contact us for further info.</b> |                 |

Aluminium frame base




Covering


Fabric



Faux leather



Soft leather




Soft leather Elmosoft



Catifa 46

design Lievore Altherr Molina 2004

Chair on swivelling pedestal base in shiny or painted aluminium. The shell is in wood in three colour finishes (natural oak, bleached oak or wengé stained).




ACCESSORIES

Cushion **Art. 0261**  
Set of glides **Art. 2015**

| COVERING |  | ART. 0377       | ART. 0377 |
|----------|--|-----------------|-----------|
|          |  | SHINY ALUMINIUM | PAINTED   |
| WOOD - L |  |                 |           |
|          |  |                 |           |
|          |  |                 |           |
|          |  |                 |           |
|          |  |                 |           |
|          |  |                 |           |
|          |  |                 |           |

| SHIPMENT DETAILS   | TECHNICAL SPECIFICATIONS | FIRE RETARDANT TEST  | RESISTANCE TEST |
|--|--------------------------|--|-----------------|
| 1 pcs. = 2 boxes - lb 21.12 / ft³ 8.58<br>4 pcs. = 2 boxes - lb 62.40 / ft³ 12.29<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. |                          | UK DOMESTIC:<br>BS5852/90 Sez.5 cigarette match<br><br><b>Contact us for further info.</b> |                 |

Aluminium frame base



Covering

Wood




3 Types

Chair on swivelling pedestal base in shiny or painted aluminium, fitted with armrest.  
The shell is in wood in three colour finishes (natural oak, bleached oak or wengé stained).

ACCESSORIES

Cushion **Art. 0261**  
Set of glides **Art. 2015**



| COVERING |  | ART. 0393       |         |
|----------|--|-----------------|---------|
|          |  | SHINY ALUMINIUM | PAINTED |
| WOOD - L |  |                 |         |
|          |  |                 |         |
|          |  |                 |         |
|          |  |                 |         |
|          |  |                 |         |
|          |  |                 |         |
|          |  |                 |         |

| SHIPMENT DETAILS   | TECHNICAL SPECIFICATIONS | FIRE RETARDANT TEST  | RESISTANCE TEST |
|--|--------------------------|--|-----------------|
| 1 pcs. = 3 boxes - lb 26.37 / ft <sup>3</sup> 9.60<br>4 pcs. = 3 boxes - lb 80.35 / ft <sup>3</sup> 13.56<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. |                          | UK DOMESTIC:<br>BS5852/90 Sez.5 cigarette match<br><b>Contact us for further info.</b> |                 |

Aluminium frame base




Covering

Wood



Chair on swivelling pedestal base in shiny or painted aluminium. The shell is in polypropylene with leather, faux leather, fabric or customer's fabric upholstery applied to the seat surface.



ACCESSORIES

Set of glides **Art. 2015**

| COVERING                             |  | ART. 0370       | ART. 0370 |
|--------------------------------------|--|-----------------|-----------|
|                                      |  | SHINY ALUMINIUM | PAINTED   |
| FABRIC A                             |  |                 |           |
| FABRIC B                             |  |                 |           |
| FABRIC C                             |  |                 |           |
| FABRIC D                             |  |                 |           |
| FAUX LEATHER - EP                    |  |                 |           |
| SOFT LEATHER - PF                    |  |                 |           |
| SOFT LEATHER ELMOSOFT - ES           |  |                 |           |
| CUSTOMER'S OWN MATERIAL H. 54.6 IN.* |  |                 |           |


  

| SHIPMENT DETAILS   | TECHNICAL SPECIFICATIONS   | FIRE RETARDANT TEST  | RESISTANCE TEST |
|--|----------------------------|--|-----------------|
| 1 pcs. = 2 boxes - lb 28.22 / ft³ 9.67<br>4 pcs. = 2 boxes - lb 83.43 / ft³ 14.12<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. | * H 54.6 in. Meterage ml 1 | UK CONTRACT:<br>BS7176-07 Medium Hazard: Fabric (Flora 2).<br>BS7176-07 Low Hazard: Soft leather. Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>UK DOMESTIC:<br>BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2).<br>USA Technical Bulletin 117: Fabric. Faux leather.<br><b>Contact us for further info.</b> |                 |

Aluminium frame base



Covering




Shell colours



Chair on swivelling pedestal base in shiny or painted aluminium, fitted with armrest. The shell is in polypropylene with leather, faux leather, fabric or customer's fabric upholstery applied to the seat surface.

ACCESSORIES

Set of glides **Art. 2015**



| COVERING                             |  | ART. 0373       |         |
|--------------------------------------|--|-----------------|---------|
|                                      |  | SHINY ALUMINIUM | PAINTED |
| FABRIC A                             |  |                 |         |
| FABRIC B                             |  |                 |         |
| FABRIC C                             |  |                 |         |
| FABRIC D                             |  |                 |         |
| FAUX LEATHER - EP                    |  |                 |         |
| SOFT LEATHER - PF                    |  |                 |         |
| SOFT LEATHER ELMOSOFT - ES           |  |                 |         |
| CUSTOMER'S OWN MATERIAL H. 54.6 IN.* |  |                 |         |

| SHIPMENT DETAILS   | TECHNICAL SPECIFICATIONS   | FIRE RETARDANT TEST  | RESISTANCE TEST |
|--|----------------------------|--|-----------------|
| 1 pcs. = 3 boxes - lb 33.47 / ft³ 10.70<br>4 pcs. = 3 boxes - lb 101.38 / ft³ 15.40<br>Standard despatch in packs of 4. Despatch in packs of 1 only for quantities of less than 4 or for completion of orders. | * H 54.6 in. Meterage ml 1 | UK CONTRACT:<br>BS7176-07 Medium Hazard: Fabric (Flora 2).<br>BS7176-07 Low Hazard: Soft leather, Faux leather. Fabric (Orange 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>UK DOMESTIC:<br>BS5852-1 Sch.4-5 Part1: Faux leather. Soft leather. Fabric (Flora 2, Divina 3, Divina Melange 2, Hallingdal, Tonus 3, Topas 2).<br>BS5852-1 Sch. 4 Part1: Fabric (Pro 2, Sinclair, Glove 2).<br>USA Technical Bulletin 117: Fabric. Faux leather.<br><br><b>Contact us for further info.</b> |                 |

Aluminium frame base



Covering

Fabric



Faux leather



Soft leather



Soft leather Elmosoft



Shell colours

Polypropylene one colour



## Maintenance advice

### **Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:**

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

### **Laminate surfaces:**

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

### **Chrome, anodised or lacquered surfaces:**

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

### **Fabric:**

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

### **Hard leather grade 1, hard leather grade 2 and soft leather:**

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

### **Stainless steel:**

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

### **Faux leather:**

May be cleaned with a damp, soft cloth using lukewarm water.

-----

### **Warranty**

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.




arper

# FINISH


## Polyethylene




## Stem ABS




## Babar cushion in polyurethane




## Leaf cushion in polyurethane











































## Polypropylene one colour



## Polypropylene two colours





|                      |  |  |  |  |   |  |  |  |
|----------------------|--|--|--|--|---|--|--|--|
| Leaf                 | <br>CRO     | <br>V12     | <br>V13     | <br>V06     |   |  |  |  |
| Dizzie Table         | <br>V12     | <br>V32     | <br>V33     | <br>V36     | <br>V37     | <br>V35     | <br>V34     | <br>V39     |
| Wood                 | <br>L0020   | <br>L0022   | <br>L0021   |  |   |  |  |  |
| Hard leather grade 2 | <br>CT030  | <br>CT031  | <br>CT070  | <br>CT450  | <br>CT029  | <br>CT034  | <br>CT120  | <br>CT100  |
|                      | <br>CT090 | <br>CT040 | <br>CT110 | <br>CT033 | <br>CT020 |  |  |  |
| Hard leather grade 1 | <br>CU033 | <br>CU006 | <br>CU026 | <br>CU001 |   |  |  |  |
| Faux leather         | <br>EP001 | <br>EP002 | <br>EP003 | <br>EP007 | <br>EP004 | <br>EP005 | <br>EP006 | <br>EP008 |


Soft leather




Elmosoft




Fabric A  
Orange 2



Fabric B  
Flora 2



Fabric B  
Pro 2







Fabric C  
Divina 3



Fabric C  
Divina Melange 2



Fabric C  
Sinclair



Fabric C  
Tonus 3





Fabric C  
Topas 2






Fabric C  
Hallingdal




103




100




110




123



130



153



163



173



180



190



200



220



270



337



350




370



390



437



457



490



523



543



547



553



563



573




590



593



600



657



674



687




694




701



702



723




733



743




750



753



754



756



763




764



773



796




830



850



863



870



871



877



893



900




901



906



916



927



944



967




975



986

Fabric D  
Glove 2



Standard contrast stitching



CT120  
Ochre stitching



CT031  
Dark grey stitching



CT040  
Black stitching

Simple standard contrast zip



CT420  
Brown zip


Simple standard matching zip



CT100  
Brown zip

## NEW FINISH

Grey-lacquered  
steel




V41

Red Aluminium




V42

Laminate



LM1



LM2



LM3



LM4

Wood



L0020



L0021


# NEW FABRIC

Cava 3







Field




Clara



Remix



Lazio 2



Scuba



Tempo







Steelcut Trio



113



133




153



383



213



253



283



333



353




413



453



533




553




653




683




713



733




983



853



753



883



933



953

## Maintenance advice

### **Table-tops and seat panels/shells made of wood, polypropylene or polyethylene:**

May be cleaned with a damp, soft cloth or sponge using lukewarm water. Neutral diluted detergent may also be used in lukewarm water. Strong detergents which contain bleach or which have an abrasive effect (such as scouring creams) should be avoided at all costs.

### **Laminate surfaces:**

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces.

### **Chrome, anodised or lacquered surfaces:**

May be cleaned with strong products such as normal detergents for domestic surfaces diluted in lukewarm water, provided that they are not abrasive and do not contain acids or bleach. Avoid sponges and scourers made from synthetic fibres or metal which may leave permanent scratches on the surfaces. The products must be properly rinsed so that traces of the detergents do not spoil the special finish by causing the surface to turn opaque or to oxidise. After washing, dry it with a chamois leather. Polishes for chromed or lacquered finishes are not recommended: they should be used with caution and only by experts since the abrasive action may irreparably damage the surfaces.

### **Fabric:**

May be treated using damp brushes, possibly with light detergent or vinegar, both of which should be very dilute. Alternatively, it can be drycleaned using appropriate products. For best care and maintenance results please follow the indications given by the ISO symbols on the relevant fabric information sheet.

### **Hard leather grade 1, hard leather grade 2 and soft leather:**

Must not be cleaned with water as this may leave marks. It is better to use quality products for cleaning leather, carefully following the instructions of the manufacturer of the cleaning product. In case of doubt test the product on a small area which is normally hidden from view in order to check the result, waiting at least 24 hours to allow any possible problems to develop.

### **Stainless steel:**

Clean regularly (every 15 to 20 days) with a soft damp cloth or with special products for cleaning stainless steel available on the market.

### **Faux leather:**

May be cleaned with a damp, soft cloth using lukewarm water.

-----  
**Warranty**

ARPER guarantees that its products will maintain their characteristics for a period of 5 years from the date of delivery, except for normal wear and tear and provided that they are used in accordance with the instructions supplied.

ARPER will replace, free of charge, any product that is found not to meet this guarantee, without accepting any other responsibility of any sort.

This warranty does not apply to components, external accessories or materials supplied by the purchaser and applied to the products in order to customise them.

Arper Spa si riserva di apportare modifiche e/o migliorie di carattere tecnico ed estetico ai propri modelli e prodotti in qualsiasi momento e senza preavviso. Per maggiori informazioni visitate il sito [www.arper.it](http://www.arper.it)

Arper Spa reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice. For further information, please visit [www.arper.it](http://www.arper.it)