

IB LINE




CARTELLA TESSUTI | FABRIC REFERENCE CHART

REVIVE 1


Kvadrat

100% poliestere FR riciclato


100% recycled FR polyester




TEV224



TEV324



TEV154



TEV524



TEV774




TEV424

JUMPER 3

Kvadrat


100% polipropilene | polypropylene



TJM001



TJM016




TJM011

REMIX 2

Kvadrat

90% lana vergine | pure wool

10% nylon




TRX123



TRX682




TRX173



TRX662



TRX743



TRX982

STEELCUT 2


Kvadrat

90% lana vergine | pure wool


10% nylon




TSC240




TSC155



TSC190



TSC775




TSC975


PANAMA

100% pelli bovine europee

100% european cow hides




LN5506




LN5290



LN5300



LN5400



LN5428



LN5320

PLATINUM

Flukso

82% PVC


18% PES




TFP5



TFP12



TFP22



TFP30



TFP36



TFP15

REVIVE 1

Kvadrat

430 g/mtl
60.000 Martindale



JUMPER 3

Kvadrat

410 g/mtl
80.000 Martindale



0575/16

REMIX 2

Kvadrat

415 g/mtl
100.000 Martindale



0575/12



STEELCUT 2

Kvadrat

825 g/mtl
80.000 Martindale



0575/15



PANAMA

spessore | thickness
1,0/1,2 mm

resistenza allo strappo | tear resistance
>20 N | EN ISO 3377 -1

resistenza alla flessione
50.000 cicli (nessuna rottura) | EN ISO 5402
flex resistance
50.000 cycles (no damage) | EN ISO 5402

PLATINUM

650 g/mq
100.000 Martindale

