Der PK58 erinnert als minimalistischer Tisch an den PK54. Der PK54 diente als Ausgangspunkt für das Design des PK58, der höher ist und in anderen Werkstoffen angeboten wird: Aluminiumgestell mit Tischplatte aus einer Polyestermischung.

Design: Poul Kjærholm







DESIGN

Poul Kjærholm, 1963

BESCHREIBUNG

Der PK58 ist ein runder Tisch, der sich im Design an den PK54 anlehnt. Entworfen von Poul Kjærholm, hergestellt von Fritz Hansen.

AUSFÜHRUNG

Der PK58 hat eine aus Polyester gegossene Tischplatte mit einem ATH-Zusatz (Aluminiumtrihydrat - Naturmineralfüllung). Das Gestell ist aus anodisiertem Aluminium gefertigt. Das Gestell wird mittels 16 schwarzer Inbusschrauben zusammengebaut, die die 16 Teile zu einem Kubus zusammenfügen, der das Gestell bildet.

Der PK58 unterscheidet sich vom PK54 dadurch, dass er 1,5 cm höher und der Durchmesser der Tischplatte (Ø 130cm) 10 cm kleiner ist.

MAßE

Alle Maße sind Richtwerte.

Durchmesser: 130 cm Höhe: 70,5 cm

Gestell: 10 x 25 mm und 10 x 35 mm.

PFLEGE

Das Gestell läßt sich mit allen herkömmlichen Reinigungsmitteln reinigen. Es sei bemerkt, dass Chlor oder chlorhaltige Reinigungsmittel, Salzsäure oder basische Reinigungsmittel nicht verwendet werden dürfen.

Die Tischplatte mit einem trockenen oder feuchten Tuch abreiben. Beim Abreiben mit feuchtem Tuch bitte trocken nachreiben. Größere Flecke sind mit Hilfe einer schwachen Lösung mit Universalreiniger zu entfernen. Besonders hartnäckige Flecken lassen sich mit konzentriertem Universalreiniger entfernen, der anschließend abzuspülen ist.

UMWELT UND TEST

Der Tisch läßt sich in seine Bestandteile zerlegen, die wiederverwertet oder verbrannt werden können.

VERPACKUNG

Der Tisch wird verpackt in Styropor, mit Holzleisten in einem Pappkarton geliefert. Der Tisch wird zerlegt geliefert.

Alle Maße sind Richtwerte.


Höhe: 147 cm Breite: 145 cm Tiefe: 8,5 cm

GARANTIE

Auf Fabrikationsfehler an Standardwaren (Werkstoffe und Konstruktion) wird 5 Jahre Garantie gewährt. Verschleiß und Beschädigungen des Produkts werden von dieser Garantie nicht erfasst. Endkunden haben ihre Garantieansprüche bei dem Fachhändler, bei dem die Ware gekauft wurde, geltend zu machen.

Mai 2007

PK58



PK58 is a minimalist table inspired by PK54. Thus it is based on PK54, but the design has been adjusted so that PK58 is taller and comes in a different selection of materials: Aluminium base with table top in a polyester compound.

Design: Poul Kjærholm







DESIGN

Poul Kjærholm, 1963

DESCRIPTION

PK58 is a round table whose design is based on PK54. Designed by Poul Kjærholm and manufactured by Fritz Hansen.

FINISH

The table top of PK58 is moulded in polyester with added ATH (alumina trihydrate – a natural mineral filler). The base is made of anodised aluminium. The base is assembled using 16 black hexagon socket screws which combine the 16 parts into the cube that makes up the base.

PK58 differs from PK54 by being 1.5 cm taller and by the 10 cm shorter diameter of the table top (Ø 130cm).

DIMENSIONS

All measurements are for guidance only.

Diameter: 130 cm Height: 70.5 cm

Base: 10 x 25 mm and 10 x 35 mm.

MAINTENANCE

The base can be cleaned with a universal cleaning agent. Do not use chlorine or chlorous cleaning agents, hydrochloric acid or alkaline cleaning agents.

Wipe the table top with a dry or moist cloth. After wiping with a moist cloth use a dry cloth to wipe the table top dry. To remove stubborn spots, use a weak solution containing a universal cleaning agent. In case of particularly stubborn spots try using a concentrated universal cleaning agent and wash afterwards.

ENVIRONMENTAL FRIENDLINESS AND TESTING

The table can be completely disassembled into parts to be recycled or incinerated.

PACKAGING

The table is packaged in styrepor blocks, wood strips and a cardboard box. The table comes unassembled.

All measurements are for guidance only.

Height: 147 cm Width: 145 cm Depth: 8.5 cm

GUARANTEE

A five-year guarantee against manufacturing defects in standard products (materials and workmanship). Wear, tear and damage to the product are not covered under this warranty. Claims from end users under the guarantee must be submitted to the vendor from whom the product was purchased.

May 2007

