

1 Storage unit Height 20.5 cm. Depth 70 cm. Lengths:
100 cm 2 drawers - 150 cm 2 drawers
200 cm 3 drawers - 250 cm 4 drawers

2 Spacer
Height 2.5 cm. Recessed by 2.5 cm compared to the unit at the three sides and by 7 cm at the back side.

3 Shim element for modular plinths
Height 7.5 cm, length 14 cm, Depth 56 cm.

4 Plinth
7.5 or 2.5 cm high, recessed by 7 cm at the four sides, with adjustment feet.

LOWBOARD with manually opened drawers

SPECIFICATIONS

Modular structure with drawers made :

- with panels of natural anodized aluminium
- with medium-density wood fibreboards (2 cm thick) covered both sides with a matt white lacquered aluminium sheet.

This system is composed of units containing 2, 3 or 4 compartments for drawers provided with a whole front with a groove for opening at the bottom.

At the back of the bottoms of each storage unit there is a 4.5 cm large space to let wires in at full length plus a counterweight which avoids overturning with an open drawer.

Storage units are stackable by using in between a 2.5 cm high spacer recessed by 2.5 cm compared to the unit and by 7 cm at the back.

The 8 cm or 2.5 cm high ground-resting plinth, recessed by 7 cm compared to the unit, is provided with adjustment feet.

We recommend a 2.5 cm plinth if to use as a coffee table.

In case the units are positioned next to the backs, a shim element of the required size will be supplied. This must be requested on the order.

Besides being stackable, the units can be modular in depth also. In this case shim elements are provided in order to fill the gap between the plinths.

SELECTION AND SIZES

The structure is 70 cm deep. The units are 20.5 cm high and available in 4 lengths: 100, 150, 200 and 250 cm. The 100 cm large unit contains two drawers (for 60.4 and 34.6 cm large compartments). The 150 cm large unit contains two drawers (for 72.5 cm large compartments). The 200 cm large unit contains three drawers (for 64.4 cm large compartments).

The 250 cm large unit contains four drawers (for 60.4 cm large compartments).

Internal drawers must be chosen among the following 5 types: non-equipped, equipped with CD rack, with video tapes/DVD rack, with video tape recorder/DVD rack and with decoder/DVD plus remote controls rack.

Drawers are always equipped with fully-extractable Blum guides and closing-shock absorber "Motion".

In the matt white lacquered version, drawers come with sides in white lacquered steel, bottom and back in chipboard melamine-coated wood in white.

LOWBOARD with servo drive equipped drawers

A new Lowboard version now available with servo drive equipped drawers featuring the same characteristics of the traditional one.

The storage unit is equipped with a high quality and technologically- innovative electric mechanism designed to open even large and heavy drawers by a light pressure on them.

The drawer gets open by pushing its front gently wherever and can be stopped in any position. It is highly safe for the end user and, in the event of a blackout, the drawer can be opened or closed with no difficulty.

Of great functionality, extremely noiseless, the system, installed on the back, is composed of a power unit and a 24 V transformer.

The unit comes with a drill on the bottom for cable access.

SELECTION AND SIZES

The structure is 70 cm deep. The units are 20.5 cm high and available in 4 lengths: 100, 150, 200 and 250 cm. The 100 cm large unit contains two drawers (for 60.4 and 34.6 cm large compartments). The 150 cm large unit contains two drawers (for 72.5 cm large compartments). The 200 cm large unit contains three drawers (for 64.4 cm large compartments).

The 250 cm large unit contains four drawers (for 60.4 cm large compartments).

Internal drawers must be chosen among the following 4 types: non-equipped, equipped with CD rack, with video tapes/DVD rack and with decoder/DVD plus remote controls rack.

Drawers are always equipped with fully-extractable Blum guides.





In the matt white lacquered version, drawers come with sides in white lacquered steel, bottom and back in chipboard melamine-coated wood in white.







LOWBOARD

description	for compartment	finish	code
-------------	-----------------	--------	------

LOWBOARD WITH MANUALLY OPENED DRAWERS - CONTAINER + FRONT fit for



	two drawers (60.4 / 34.6)	100 cm	aluminium	01-10-00100
			white lacquered	01-10-00151
	two drawers (72.5)	150 cm	aluminium	01-10-00101
			white lacquered	01-10-00152
	three drawers (64.4)	200 cm	aluminium	01-10-00102
			white lacquered	01-10-00153
	four drawers (60.4)	250 cm	aluminium	01-10-00103
			white lacquered	01-10-00154

LOWBOARD WITH SERVO DRIVE * EQUIPPED DRAWERS - CONTAINER + FRONT fit for

	two drawers (60.4 / 34.6)	100 cm	aluminium	01-10-00230
			white lacquered	01-10-00351
	two drawers (72.5)	150 cm	aluminium	01-10-00231
			white lacquered	01-10-00352
	three drawers (64.4)	200 cm	aluminium	01-10-00232
			white lacquered	01-10-00353
	four drawers (60.4)	250 cm	aluminium	01-10-00233
			white lacquered	01-10-00354

note

* The system consists of an electric motor (24 V, 2 A - CE compliance), a universal 100W transformer (CE compliance). Voltage: 220 V (Europe) and 110 V (USA). While ordering, please specify always which voltage is required.




description	finish	code	code	code	code
DRAWER		100 cm compart. for 34.6 unit	100/250 cm compart. for 60.4 unit	200 cm compart. for 64.4 unit	150 cm compart. for 72.5 unit
Non-equipped	aluminium	01-10-00104	01-10-00107	01-10-00112	01-10-00117
	white lacquered	01-10-00234	01-10-00237	01-10-00242	01-10-00247
					
CD rack*	aluminium	01-10-00105	01-10-00108	01-10-00113	01-10-00118
	white lacquered	01-10-00235	01-10-00238	01-10-00243	01-10-00248
		(for 48 CDs)	(for 96 CDs)	(for 96 CDs)	(for 120 CDs)

note


In the order please specify whether in the composition the 2.5 cm high spacers are used as ground plinths and always attach the related diagram

* The quantities of CDs, DVDs and videos are meant as follows: a standard size case for CDs; a 190x142x11 mm case for DVDs; a 205x120x30 mm case for videotapes


LOWBOARD

description	finish	code	code	code
DRAWER		100 cm compart. for 34.6 unit	100/250 cm compart. for 60.4 unit	200 cm compart. for 64.4 unit
VIDEO TAPES/DVD rack *				150 cm compart. for 72.5 unit
	aluminium	01-10-00106	01-10-00109	01-10-00114
	white lacquered	01-10-00236	01-10-00239	01-10-00244
		(for 60 DVDs/30 videos)	(for 120 DVDs/60 videos)	(for 120 DVDs/60 videos)
				(for 150 DVDs/75 videos)
				
VIDEO RECORDER/DVD rack H12.7 cm (rack inner size L 45 x D 35) FOR MANUAL DRAWER ONLY				
	aluminium	01-10-00110	01-10-00115	01-10-00120
	white lacquered	01-10-00240	01-10-00245	01-10-00250
				
DECODER/DVD AND REMOTE CONTROLS rack H 9.7 cm (rack inner size L 45 x D 35)				
	aluminium	01-10-00111	01-10-00116	01-10-00121
	white lacquered	01-10-00241	01-10-00246	01-10-00251
				


Examples of how to use drawers equipment




DRAWER, non-equipped




DRAWER, CD rack



DRAWER, videotape/DVD rack



DRAWER decoder/DVD and remote controls rack H 9.7



DRAWER, videorecorder/DVD rack H 12.7



LOWBOARD


finish	code	code	code	code
SPACERS H 2.5 cm	100 cm unit	150 cm unit	200 cm unit	250 cm unit
aluminium	01-10-00125	01-10-00126	01-10-00127	01-10-00128
white lacquered	01-10-00155	01-10-00156	01-10-00157	01-10-00158



PLINTH H 2.5 cm				
aluminium	01-10-00133	01-10-00134	01-10-00135	01-10-00136
white lacquered	01-10-00159	01-10-00160	01-10-00161	01-10-00162



PLINTH H 7,5 cm				
aluminium	01-10-00141	01-10-00142	01-10-00143	01-10-00144
white lacquered	01-10-00163	01-10-00164	01-10-00165	01-10-00166



finish	code
SHIM ELEMENTS H 2.5 cm	
aluminium	01-10-00150
white lacquered	01-10-00168



SHIM ELEMENTS H 7,5 cm	
aluminium	01-10-00149
white lacquered	01-10-00167



DEPTH SHIM ELEMENTS H 2.5 cm	
aluminium	0110-18
white lacquered	0110-18



DEPTH SHIM ELEMENTS H 7,5 cm	
aluminium	0110-20
white lacquered	0110-20



note

In the order please specify whether in the composition the 2.5 cm high spacers are used as ground plinths and always attach the related diagram