


Secto 4230

| Finishes | Shade Natural birch White laminated Black laminated Walnut veneer | Cable White White White | | |
|--------------|---|--|------------------------------------|----------------------|
| Material | Form pressed birch slats | | | |
| Sizes | Height 60 cm Width 13,5 / 30 cm Depth 18 cm Weight 1,0 kg Package 36 × 20 × 66 cm | ı, 2,0 kg | Mounting optio | ns |
| Light source | E14, LED max. 20 W, incl. Check the website for more details. Please leave 15 mm around the bulb for air circulation. The use of special bulbs such as halogen, mirror or 12 V bulbs in Secto Design lamps is forbidden, due to overheating. | | • | |
| Cable | 240 cm, white, switch on the cable Also available with direct wall mounting. | | | |
| IP Rating | IP20 | | I | |
| Maintenance | Wipe dust regularly. To rer moist cloth. | move fresh stains wipe with a slightly | I Switch on cable (standard) | Direct wall mounting |



Pic 3: Standard back plate profile



Pic 4: Wall mount back plate version






Plate instructions

- 1. To raise the lamp of the wall and a possible means to secure the fixture to the wall.
- 2. For securing the lamps to a wall socket.
- 3. For hook suspension.
- 4. For treading the wall mount version's cables through the plate.

Screws and hooks for securing the fixture are not included.



Secto 4230/4231 wall lamp back plate, standard / wall mount versions

| Height | 15,5 cm | |
|--------------|---------------------------|--|
| Width | 10,5 cm | |
| Lamp base | E14 | |
| Wattage | LED max 20 W | |
| Cable length | 240 cm (standard version) | |
| | | |

Secto Design

Information The back plate of the Secto 4230/4231 wall lamp is made of powder painted steel. The lamp base is attached to the back plate. The shade has wooden rails for the plate. The plate is fastened to the shade with a top screw.


The standard version (pics 1-3) comes with a cable, a switch and a plug. The wall mount version (pic 4) (by special order) can be mounted directly to the cables coming out of the wall socket by an electrician.

The wall lamp can be installed with the cone part upwards or downwards. When the cone part is downwards the cable runs down between the plate and the wall.

The back plate is screwed (screws not incl.) to the wall. The wooden shade is then slid onto the plate along the wooden rails which are on the long sides of the shade. Alternatively the wall lamp can be hung to a wall hook (not incl.) after the plate is attached to the shade.

Please find the measurements of the plate on a separate sheet.

Secto Design Oy: Secto 4230



This luminaire is sold with a bulb of the energy class:



874/2012