

# STE8239L

EAN13: 8017709244163

Product Family: Dishwashers  
 Installation: Fully-integrated  
 Commercial width: 60 cm  
 Number of place settings: 13  
 Colour: Finger friendly stainless steel  
 Energy efficiency class: A+++



## TYPE



- Commercial width: 60 cm
- Number of place settings: 13

- Product Family: Dishwashers
- Installation: Fully-integrated
- Commercial height: 82 cm

## AESTHETICS



- LED/display colour: White

- Colour: Finger friendly stainless steel
- Front panel colour: Finger friendly stainless steel
- Buttons colour: Silver (titanium matches st/steel)

## PROGRAMS / FUNCTIONS



- No. of programmes: 5+5 quick programmes
- Washing temperatures: 38° °C, 45° °C, 50° °C, 55° °C, 65° °C, 70° °C

## OPTIONS



- 1/2 load FlexiZone option (varied distribution) : Yes

- Energy saving option EnerSave: A+++
- Delay timer option: Up to 24 hours
- Options for tabs FlexiTabs: Yes
- Quick Time option: Yes

## BASKETS



- Handle: In plastic with stainless steel insert on upper and lower basket
- Upper Basket: With central fixed racks and glass holder
- Sliding Guides Extra Glide: Yes
- Lower Basket: With completely foldable racks and glass holder
- Cutlery basket: 13 place settings sliding

- Basket colour: Stainless Steel
- Basket components colour: Blue
- Wire Handle grip (lower basket): Yes
- Third upper basket for cutlery: Yes, FlexiDuo
- Height adjustment of the upper basket: On three levels
- Largest loadable dish in upper basket: 23,5 cm
- Lower basket with anti-drip inserts: Yes
- Largest loadable dish in lower basket: 30 cm
- Colour Inner Components: Blue Planetarium, Blue anti drop inserts, Blue plastic plate support for glass holder, Blue handles, Grey pastic plate for regulation second basket on three levels, Grey Flexiduo

## TECHNICAL FEATURES



- Display type: LED display (3 digit)
- Salt light indicator: Light
- End of cycle indicator: ActiveLight

- Controls: Electronic
- Display: Delayed start, Programme time indicator, Time to end indication
- On/off indicator: Yes
- Rinse aid indicator: Light
- Washing system: Planetarium

- Drying system: Natural condenser drying, with EnerSave automatic door opening system at the end of the cycle
- Turbidity sensor Aquatest: Yes
- Water supply: Single; cold/hot water max. 60°C - energysave with hot water up to 35%
- Steam protection: In plastic
- Tub material: Stainless steel
- Concealed heating element: Yes
- Adjustable feet: 7cm, from 820 to 890 mm
- Back feet adjustable from front: Yes

- Motor: Inverter, variable frequency
- Third spray arm: Single
- Water softener: With electronic setting
- Flood protection system: Total Acquastop
- Watersave system: Yes
- Max water hardness: 100°FH;58°dH
- Internal light: With White led
- Filter: Stainless Steel
- Hinges: Self balancing, Sliding, FLEXIFIT
- Can be installed in-column: Yes

## PERFORMANCE / ENERGY LABEL



- Noise level: 39 dB(A) re 1pW
- Energy consumption per cycle (kWh/cycle): 0.810 kWh
- Annual water consumption: 1820 litres
- Total cycle time of reference programme (min): 220 min
- Duration of the stand by on mode (min): 5 min

- Energy efficiency class: A+++
- Cleaning performance: A
- Drying performance: A
- Water consumption per cycle (l/cycle): 6.5 litres
- Annual energy consumption: 231 kWh/year
- Reference programme: ECO
- Energy consumption - stand by off mode: 0.02 W
- Energy consumption - stand by on mode: 0.80 W

## ELECTRICAL CONNECTION

- Connected power: 1800 W
- Voltage: 220-240 V
- Type of connection: Single-phase
- Power supply cable length: 140 cm

- Current: 10 A
- Frequency (Hz): 50 Hz
- Plug type: Schuko

## LOGISTIC INFORMATION

- Dimensions of the product HxWxD (mm): 818x598x545

## OPTIONAL

- Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks: **KITGH**

- Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.: **KITPL60N**
- Kit extension for dishwasher and washing machine: lenght mt. 2: **KITPLV2**

- Toekick Kit in White colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.: **KITPL60B**
- Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.: **KITPL60X**

For availability in specific countries please contact your [local agent](#) .



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



Activelight is an led light which projects a red spot onto the floor beneath the dishwasher when the appliance is in use.



Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.



Anti-drip: Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



Installation in column: Installation in column



COMM\_HEIGHT\_82\_72dpi



Delay Timer: The delay timer can postpone the start of the program by up to 24 hours.



Energysave: At the end of the drying cycle a special device slowly automatically opens the door a few centimeters, to ensure perfect drying and to save up to 20% of energy on some models.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



FlexiDuo: The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



Models with new Flexi Fit hinges are able to be installed in kitchens with a plinth of just 5cms. With this new hinge design, the panel has a sliding movement from the bottom to the top, avoiding any possible interference of the panel with the plinth.



Flexitabs: Flexitabs adjusts the wash cycle to give the best possible results regardless of the type of detergent used.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



The new ExtraGlide guide system, available on top of the range models, makes the second basket even smoother and softer. In fact, it facilitates the extraction of the introduction, even at full load and, for the greater excursion, the insertion of crockery is also facilitated in the rear part.



Inverter technology: The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



PLANETARIUM\_WASHING\_SYSTEM\_72dpi



Auto 45°- 65°: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



Crystal: The crystal cycle is a particular programme designed especially for delicate dishes with light dirt.



Delicate Quick: Program Delicate Quick is suitable for quick washing of delicate dishes.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal Quick: Program Normal Quick is suitable for quick washing of mixed dishes, for everyday use.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Rapid 27 Mins: The rapid 27 mins quick program takes just 27 minutes to wash a load.

---



Strong&Fast: This special programme takes less than 1 hour to eliminate the most stubborn dirt and dried on residues.

---



Ultraclean: The Ultraclean option performs a final rinse at a high temperature of 70°C eliminating virtually all bacteria.

---



Quick Time: The Quick Time option can reduce the length of the wash cycle up to 55%.

---



The symbols show the number of plate settings of the dishwasher.

---



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.

---



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.

---

